

Central Lancashire Online Knowledge (CLOK)

Title	Shame if you do, Shame if you don't: Women's experiences of infant feeding
Type	Article
URL	https://clock.uclan.ac.uk/id/eprint/12089/
DOI	https://doi.org/10.1111/mcn.12148
Date	2014
Citation	Thomson, Gill, Esbich-Burton, Katherine and Flacking, Renee (2014) Shame if you do, Shame if you don't: Women's experiences of infant feeding. Maternal And Child Nutrition, 11 (1). pp. 33-46. ISSN 1740-8709
Creators	Thomson, Gill, Esbich-Burton, Katherine and Flacking, Renee

It is advisable to refer to the publisher's version if you intend to cite from the work.
<https://doi.org/10.1111/mcn.12148>

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLOK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>

Abstract:

Emotions such as guilt and blame are frequently reported by non-breastfeeding mothers, and fear and humiliation is experienced by breastfeeding mothers when feeding in a public context. In this paper we present new insights into how shame-related affects, cognitions and actions are evident within breastfeeding *and* non-breastfeeding women's narratives of their experiences. As part of an evaluation study of the implementation of the UNICEF UK Baby Friendly Initiative (BFI) Community Award within two primary (community-based) care trusts in North West England, 63 women with varied infant feeding experiences took part in either a focus group or an individual semi-structured interview to explore their experiences, opinions and perceptions of infant feeding. Using a Framework Analysis approach and drawing on Lazare's categories of shame, we consider how the nature of the event (infant feeding) and the vulnerability of the individual (mother) interact in the social context to create shame responses in some breastfeeding and non-breastfeeding mothers. Three key themes illustrate how shame is experienced and internalised through 'exposure of women's bodies and **infant feeding methods**', 'undermining and insufficient support' and 'perceptions of inadequate mothering'. The findings of this paper highlight how breastfeeding and non-breastfeeding women may experience judgement and condemnation in interactions with health professionals as well as within community contexts, leading to feelings of failure, inadequacy and isolation. There is a need for strategies and support that address personal, cultural, ideological and structural constraints of infant feeding.

Key terms: breastfeeding, formula feeding, guilt, infant feeding, qualitative, shame, women

Introduction

Breastfeeding is acknowledged as providing health benefits to both mothers and infants. The World Health Organisation (World Health Organization, 2003) recommend that mothers should breastfeed exclusively for the first six months, and thereafter continue to provide their infants with breast milk for up to two years of age or beyond. Despite this recommendation, breastfeeding rates vary widely; in Sweden 83% of all babies are exclusively breastfed at one week of age and 11% at six months (The National Board of Health and Welfare, 2012); in the UK, the corresponding rates are 46% at one week and <1% at six months (McAndrew et al., 2012).

There are numerous accounts of women's emotional responses to infant feeding. Murphy (1999) has suggested that regardless of how women feed their infants, infant feeding becomes a 'moral minefield' and an 'accountable matter' as women are judged or judge themselves on their efforts in being 'not only good mothers but also good partners and good women' (p.187, 205). The message frequently summarised as 'breast is best' reflects scientific knowledge on the nutritional and immunological benefits of breast milk for infants (American Academy of Pediatrics, 2012) as well as carrying moralistic dimensions. In many cultures, breastfeeding is synonymous with 'good mothering' (Dykes & Flacking, 2010; Hauck & Irurita, 2002; Schmied & Barclay, 1999). When mothers make a decision not to breastfeed, they may experience guilt, blame and feelings of failure (Lakshman et al., 2009; Lee, 2007). Taylor and Wallace (2012), in their theoretical framework aimed at understanding maternal responses to infant feeding, argue how formula feeding mothers may experience shame (as opposed to guilt) through 'failure' to live up to ideals of womanhood and motherhood. They also argue that breastfeeding mothers may experience shame through the violation of feminine modesty when breastfeeding in public (Taylor & Wallace, 2012); the real or imagined humiliation, and fear of criticism, associated with public breastfeeding is reported by others (Dykes, 2007; Thomson & Dykes, 2011).

Shame is considered to incorporate affect (e.g. fear, anger, humiliation, self-disgust, anxiety, low self-esteem, depression), cognitions (e.g. feelings of rejection, inferiority and inadequacy) and actions (e.g. withdrawal and isolation or retaliation) (Gilbert & McGuire, 1998; Lewis, 1971; Scheff, 1997). Whilst shame is often used inter-changeably with guilt, these are considered to be two distinct emotions (Lazare, 1987; Scheff, 1997). Shame is believed to occur when there is a breach between the cognitive evaluation of the ideal self

and that of the actual self (Rubin, 1968). The self-evaluation giving rise to shame emerges through an awareness of a deficiency or feelings of not being good or good enough: a global negative feeling about the self in response to a goal not reached, or some short-coming (Lazare, 1987; Niedenthal et al., 1994; Scheff, 1997). Guilt, on the other hand, refers to behaviours or transgressions: a sense of doing a ‘bad thing’ (or of not having done a good thing) (Niedenthal et al., 1994). Guilt comprises feelings of tension, remorse and regret, but does not incorporate the self-condemnation associated with shame (Lazare, 1987; Lewis, 1971). One of the key problems in the definitions relates to how these emotions co-occur; an act may make the individual feel guilty and, on internalisation, he/she subsequently experiences shame (Lazare, 1987).

Shame is considered to be a universal and fundamental social emotion (Kaufman, 1996). Its emergence is based on the evaluation of ‘self’ in the form of its real or imagined appearance to the ‘other’ and the imagined judgement of that appearance (conveyed via facial expressions, gestures, verbal intonations and explicit criticism) by the ‘other’ (Lazare, 1987; Scheff, 1997). Tangen, Miller, Flicker & Barlow (1996) define shame as:

‘..both agent and object of observation and disapproval, as shortcomings of the defective self are exposed before an internalized observing “other”. Finally shame leads to a desire to escape and hide – to sink into the floor and disappear’. (p. 1257)

Lynd (1958) argues that the ‘whole-self’ involvement characteristic of shame is what makes it so potent. People may therefore adopt defence mechanisms such as distancing themselves from whatever/whomever induces the feelings of shame (Lazare, 1987) or through blaming others. Even when we know we have done nothing wrong, shame can be experienced as a consequence of knowing that we have presented a ‘negative’ and ‘unattractive’ image of ourselves to others (Gilbert & McGuire, 1998).

Shame may be particularly salient during the development of maternal identity (Rubin, 1984). Positive judgements in relation to infant feeding methods may increase the mother’s self-confidence, whereas negative judgements produce reduced confidence and maternal wellbeing (Hoddinott et al., 2012; Taylor & Wallace, 2012; Thomson & Dykes, 2011). In the wider literature, guilt and blame is frequently cited in association with women’s experiences of formula feeding, with discomfort, humiliation and fear appearing as descriptors of

experiences of public breastfeeding. The aim of this paper is to provide a unique perspective on infant feeding by describing how discourses of shame are evident within the experiences of breastfeeding and non-breastfeeding women.

Methods

Context & Setting

This paper reports on data collected with women as part of a wider evaluation of the implementation of the UNICEF/WHO Community Baby Friendly Implementation project in two community health facilities in North West England. Focus groups and individual interviews were undertaken with stakeholders, health professionals and mothers. In this paper we report on the consultations undertaken with mothers. The purpose of these consultations was to ascertain their attitudes and experiences as well as barriers to and facilitators of infant feeding, which could subsequently be utilised to help inform the planning and organisation of services.

Ethics

The full evaluation proposal was reviewed and approved by the Research & Development Units at the two hospital trusts and full ethics approval was granted through the Faculty of Health Ethics Committee (proposal 277) at the lead author's University. Ethical issues in relation to informed consent, confidentiality and withdrawal were adhered to throughout this study.

Participants and Recruitment

Following heads of service approval, health professionals and coordinators of various mother and baby groups or clinics (baby massage, mother and baby groups, breastfeeding groups) were asked to approach women to ascertain their willingness to participate. The contact details of all consenting women were forwarded to the first author, and focus groups dates were organised between the first author and coordinators once initial agreement had been sought. A total of 63 women took part. Participant characteristics are presented in Table 1.

Insert Table 1

Whilst socio-economic identifiers were not recorded, care was taken to recruit women from areas of high and low deprivation. This was achieved by professionals being asked to target women from a range of different backgrounds and infant feeding experiences to take part in an interview. The groups targeted for recruitment were also situated in areas of high and low deprivation. There were no specific exclusion criteria for this study or fixed sample size, rather the aim was to elicit a broad range of views in regard to infant feeding experiences and support needs. Data collection ceased when it was considered that a diverse sample and variety of perspectives had been obtained. All of the women had some experience of breastfeeding (with their first and/or subsequent children), with duration ranging from a few days to > 12 months. The routinely collected breastfeeding initiation rates in the geographical areas where these women reside for the periods 2008/2009 and 2009/2010 were between 56-63% and 60-68% and for 6-8 week duration rates (total or partial breastfeeding) between 20-30% and 22-35% respectively. At the time of the interview some 43 (68%) of the women in this study were either fully or partially breastfeeding their infant; these data suggest that the infant feeding rates of our participant group are fairly representative of the local population.

Data collection

A semi-structured interview/focus group schedule was devised based on existing literature and consultation with the project team. Questions were designed to elicit women's current infant feeding status, intentions and motivations regarding infant feeding and barriers and facilitators to support (a summary of the key questions is presented in Table 2). Sixty-three women took part in seven focus groups (n=33) and 28 individual interviews (two interviews involved two participants). Sixteen interviews were undertaken in the participant's homes, with the remaining interviews or focus groups taking place at mother and baby groups/clinics. The interviews/focus groups took between 25 to 80 minutes to complete and were digitally recorded and transcribed in full. All data collection was undertaken during 2008-2010 by the first author.

Insert Table 2

Analysis

Analysis was informed by the Framework Analysis method originally devised by Ritchie & Lewis (2003). A key strength of this approach relates to the way in which inductive (emergent issues) and deductive (application of a theoretically informed framework) analysis

can summarise data into thematic matrices to enable patterns or explanations to be identified (Gale et al., 2013). In this study, Lazare's (1987) categories of shame were used as a theoretical framework. Lazare (1987) postulates that shame in a medical/clinical encounter may be understood as operating from the interaction between three factors: 1) shame-inducing event; 2) vulnerability of the subject and 3) the social context of the shame. We selected this framework due to its capacity to illuminate how shame is experienced through an interaction of personal, cultural, structural and social factors.

Initially, two of the authors (GT, KEB) engaged in a process of immersion and familiarisation of the transcripts to identify key codes and themes against Lazare's three categories of shame. Drafts of the initial analysis were also shared and discussed with RF on an on-going basis. A single tree structure coding index was agreed and applied in MAXQDA and 'descriptive accounts' were subsequently undertaken through refinement of the themes and associations within the data set. Finally, 'explanatory' accounts were produced to illuminate how similar concepts of shame were experienced amongst those with divergent experiences of infant feeding.

Findings

Lazare (1987) considered that shame occurs through a dynamic interaction between the shame inducing event (i.e. infant feeding method), the individual's (mother's) vulnerability and the social context. In the following sections we first consider how infant feeding can be considered a shame-inducing event. We then describe the conditions which exacerbate the vulnerabilities of new motherhood. Within the social context three themes describe how shame is experienced and internalised by both breastfeeding and non-breastfeeding mothers through; 'exposure of women's bodies and infant feeding methods', 'undermining and insufficient support' and 'perceptions of inadequate mothering'. A selection of illuminating quotes is included (with a pseudonym or focus group identifier). Whilst shame comprises negative emotions, it is an experience of the self which goes beyond the emotions it induces and relates to the interaction between perceptions of self and perception by others. Our interpretations of the data illuminate how some breastfeeding and non-breastfeeding women experience shame through feelings of fear, humiliation, inferiority and inadequacy. Our findings also emphasise the potential negative implications of shame responses in terms of social isolation and withdrawal due to the potential for pressure and counter-productive effects emerging from the 'breast is best' discourse, and women's reticence in seeking out

and engaging with health professionals and services due to fear of condemnation or reprisals. These findings are not intended to suggest that *all* breastfeeding and non-breastfeeding women experience shame; rather that shame affects cognitions and/or actions and was experienced by many of the women we consulted.

Infant feeding as a shame-inducing event

According to Lazare (1987), the shame-inducing event is one which involves individuals experiencing physical or psychological limitations that assault self-perceptions of self-control, independence and competence. All of these issues were evident in many of the women's infant feeding narratives, which frequently indicated a sense of feeling out of control and dependent on others through insufficient information and lacking or inappropriate infant feeding support. Furthermore, when mother's infant feeding methods were not experienced as intended (by self and others), this could lead to feelings of incompetence, inadequacy and inferiority.

Whilst Lazare (1987) considered that individuals can feel stigmatized or socially discredited, through anticipated or actual unfavourable reactions by others, he believed that there were specific categories of 'diseases' that were more likely to induce shame. These categories concern 'offending others through their sight'; involve 'sexual or excretory organs' and 'behaviours perceived by others as weak, stupid or immoral manifestations of personal failure' (p. 1654). Whilst we are not suggesting that infant feeding is a 'disease', the medicalization of infant feeding render situations and experiences where the method becomes a 'disease' in terms of how shame is experienced, internalised and enacted-. Breastfeeding, and bottles can all cause 'offence' to others; similarly, due to the cultural sexualisation of women's breasts, infant feeding is perceived to involve sexual organs, and women may internalise their feeding choices as either failure (for those who do not breastfeed) or morally and socially unacceptable (for those who do breastfeed). Certain practices of breastfeeding may also carry their own shame. Breastfeeding outside the home environment is an evident and much-discussed example of this. A further example relates to 'others' judgements on acceptable and unacceptable breastfeeding practices which appear implicitly associated with conceptions of 'good' mothers and 'good' babies.

Vulnerability of the Subject (Mother)

Lazare (1987) considered that when our basic emotional needs of being loved, taken care of and accepted are not met we become susceptible to shame. The narratives highlighted that whilst the women often held ideals of being a 'good mother' or feeling overwhelmed by new motherhood, the cultural influences and the lack of preparation made some mothers feel anxious, fearful and dependent. Mothers, particularly first-time mothers, often felt overwhelmed by new motherhood, an experience exacerbated by the physical and/or psychological implications of childbirth, particularly for those who had a distressing, assisted or operative birth:

I had a section and I was completely out. You wake up and your baby is there and you do lose that initial bond really [. . .] I could not get out of bed, so someone had to bring me the baby, but then I could not put him back down or anything or change his nappy or anything. (Teresa)

New mothers were not always aware of what questions to ask, nor what support was needed until faced with the realities of motherhood: 'I needed someone there, I needed support, I had no idea what I was doing'. The reliance on health professional support also magnified amongst those with limited support networks: 'no one around us apart from friends'.

Many of the women had little or no vicarious experiences of breastfeeding within their family or personal networks: 'no one I knew had breastfed', nor within the wider community: 'you just don't see people breastfeeding when you are out and about'. A familial history of breastfeeding could positively influence a woman's decision to breastfeed: 'I always wanted to and the reason was because of my mum'. Others spoke of how negative comments from within their personal networks undermined their confidence and potentially induced shame associated with breastfeeding: 'she (Aunty) said you will be like a cow. She weren't really encouraging'.

Conversely, many women referred to how they were 'expected' or felt under 'pressure' to breastfeed, a pressure transmitted by cultural messages as well as via health professionals. Women often experienced this as an additional burden within the already bewildering state of new motherhood:

I think there was too much emphasis on breastfeeding. [...] The tone of it needs to be different, the way it's done needs to be different, more sensitivity around it definitely. You have all the pressure and you don't need it. If it's your first, trying to cope with a new baby, nothing that you read prepares you for it. (Angela)

The discourse around breast being 'best' and 'natural' was often so at odds with women's pre-natal ideals and expectations; this led to self-doubt and anxiety: 'I was upset that I didn't carry on like I wanted to - I thought it would come naturally'; 'They [health professionals] tell you to breastfeed and they don't tell you how painful it can be'.

Social Context of Shame

In this section three key themes describe how shame was experienced and internalised by breastfeeding and non-breastfeeding women in a social context: 'exposure of women's bodies and infant feeding methods', 'undermining and insufficient support' and 'perceptions of inadequate mothering'.

Exposure of Women's Bodies and Infant Feeding Methods

Lazare (1987) considers how shame is experienced in medical/clinical encounters through experiences of physical and psychological exposure of defects, inadequacies and shortcomings. These issues were reflected in the narratives in accounts of the manhandling and objectification of women's breasts, and the real or perceived negative reactions, and responses from others.

Health professionals 'handling' of women's breasts in an attempt to facilitate breastfeeding was often negatively internalised by women. Lazare (1987) considered that the potency for shame was related to the level of public exposure, and the significance of those involved. For some women, the objectification and manipulation of their 'sexual' organs in front of professionals and often their partners induced intense distress and humiliation:

She [midwife] literally just got hold of it [breast], squeezed it and went like that [demonstrating the action] I was mortified, I was just like that's my breast you've got hold of, [...] and they did it in front of X [partner] and I think I did get a bit ...because men do see boobs in a different way don't they and although I could do

295 *anything in front of X, I could see his face being really supportive but a bit “oh my*
296 *god”*. (Lorraine)

297
298 The professional’s assistance in the performance of a ‘natural’ activity served to highlight the
299 potential for women to be perceived by implication, and thus to perceive themselves, as
300 deficient in their ability to ‘manage breastfeeding’, leading to lowered confidence in their
301 capacity to breastfeed:

302
303 *The one [midwife] who came pulled my gown down, plonked her on, didn’t tell me*
304 *what she was doing or anything, kept rubbing her head dead hard into my boob, made*
305 *her latch on and then walked off. So I was like thank you, next time I will really know*
306 *what to do, won’t I.* (Gail)

307
308 As evident within the wider literature (e.g. (Thomson & Dykes, 2011), many women
309 identified real or imagined reactions to public breastfeeding as a key area of difficulty:

310
311 *I didn’t do it [public breastfeeding]. I was more concerned with people looking and*
312 *thinking why is she doing that in public she shouldn’t be here, she should be doing*
313 *that somewhere behind doors, inside in privacy.* (Ava)

314
315 Only a small number of women interviewed actually breastfed in public. Whilst some of
316 these women spoke of being ‘stared at’, ‘looked at weird’, ‘frowned at’, ‘tutted at’ or asked to
317 leave premises, for others it was the imagined fear of receiving these responses that prevented
318 them from feeding outside the family home. Women often associated the social stigma of
319 public breastfeeding with the violation of a societal norm - ‘we are a discreet nation’ - with
320 the fact of how women’s ‘breasts are sort of sexualised now rather than practical’. A few of
321 the mothers who were still breastfeeding toddlers (12+ months) also referred to how they felt
322 ‘uncomfortable’ and ‘uneasy’ feeding their infants in front of others, due to perceptions of
323 judgement for this ‘not normal’ practice. However, the impact of the woman’s social and
324 cultural network in terms of whether ‘any’ breastfeeding was acceptable was also
325 highlighted; with breastfeeding mothers believing themselves to be castigated as ‘hippies’,
326 ‘weirdos’ or ‘naturalists’:

327

328 *'Sometimes I think it would be easier to have a bottle, you can go anywhere and do*
329 *anything, Nobody has an issue with a baby having bottled milk'. (Annabel)*

330
331 In response to these cultural condemnations, women displayed actions arising from shame
332 such as 'withdrawing from others' (Tantam, 1998, p.172) by staying at home, 'finding
333 somewhere quiet' and 'out of the way', or within specifically designated breastfeeding areas,
334 thereby avoiding situations in which they might have found themselves vulnerable (Lazare,
335 1987). Women frequently described breastfeeding as a marginalised, invisible activity, with
336 public breastfeeding often only considered acceptable when it had been mastered; skill in
337 breastfeeding was equated with discretion: *'I wouldn't have sat publicly anywhere until I was*
338 *really good at it, and could hide it'. In* this way, Lazare's definition of shame as relationship
339 is played out in the responsibility felt by the breastfeeding mother not to impact, or to impact
340 in the 'correct' way, on those around her; the sense of shame thereby becomes a determinant
341 of her behaviour.

342
343 Similar issues of judgement were also identified amongst non-breastfeeding women through
344 comments made within their social networks, *'people make the odd comment like "why are*
345 *you not breast feeding", they shouldn't ask questions like that". However, it was often within*
346 *the context of women's relationships with health professionals that those who were formula*
347 *feeding, or even using bottles for expressed milk, felt they were deviants:*

348
349 *I don't think they liked that I stopped breastfeeding. They tend to give people who do*
350 *bottle-feed a bit of a "hmmm you shouldn't be doing that, you should be*
351 *breastfeeding" (Bernie)*

352
353 Many of the non-breastfeeding mothers disclosed shame responses such as having to 'hide'
354 their bottles and *expressed 'feeling scared' 'frightened' and 'in fear' of informing*
355 *professionals of their infant feeding method:*

356
357 *I felt so guilty and bad about giving up, but I just couldn't stand the pain. When I was*
358 *in hospital I had to go and get my own bottles and make them up. I [. . .] felt really*
359 *frowned upon, and made to feel really bad. I was really frightened of saying "I don't*
360 *want to". I was in fear of telling the midwife. (Kryshia)*

362 The perceived undesirable nature of their actions was also reinforced by what women
363 considered to be a 'conspiracy' of silence amongst health professionals through them not
364 discussing or offering support for bottle-feeding.

365

366 Undermining and inadequate support

367 According to Lazare (1987), it is when individuals seek professional help that the interaction
368 between the shame-inducing event and the individual's vulnerability occurs. Across the
369 narratives, shame was experienced by breastfeeding and non-breastfeeding women when
370 undermining or inadequate support was received.

371

372 A number of the women spoke of having 'the guts' and 'confidence' to seek support and
373 subsequently facing further perceptions of failure when their needs were not met. Some were
374 told to 'stop buzzing' for staff in hospital, felt too 'frightened' to pester over-stretched staff
375 and perceived themselves to be 'a pain' when support was requested. For one breastfeeding
376 woman, a professional's attempts at reassurance only served to intensify her sense of
377 vulnerability and failure. The quote below suggests that what professionals may view as a
378 positive approach may in fact augment the experience of 'shame' due to the inherently
379 judgemental nature of language used:

380

381 *I got fed up of people telling me I was doing a good job. [. . .] I wanted somebody to*
382 *help me and actually find a solution to the problem I was facing. I think it is*
383 *underestimated how vulnerable you feel and how much of a failure you feel and that*
384 *is not really the right thing to say to people. (Focus group 7)*

385

386 Some of the women who formula fed from the early post-natal period or after a period of
387 breastfeeding also reported marginalisation through a lack of support:

388

389 *When you bottle-feed you don't get as much help. I did try so hard [to breastfeed] I*
390 *kept blaming myself that I couldn't do it. [. . .] it was too painful and however much I*
391 *tried I couldn't get him on, and wasn't feeding properly. [. . .] But when you decide "I*
392 *don't want to do it anymore", it seems the support goes out the window.. [. . .] It did*
393 *get me very very down, it felt like they turned against me because I was bottle-feeding.*
394 *(Focus group 4)*

395

396 Restrictions or inhibitions on discussing substitute feeding methods (both on the post-natal
397 ward and in the community) left women feeling dejected and isolated:

398
399 *Bring the choice back for god's sake, when breastfeeding doesn't work, bottle feeding*
400 *is a good alternative. I didn't have a clue what I should be using. (Annie)*

401
402 The enforced dependency of mothers on the medical model was also in evidence when
403 women experienced incapacity to breastfeed, perceived or otherwise:

404
405 *'They wouldn't allow me to cup feed her, so I had to wait for a midwife to be free [. .*
406 *]. I did ask as it was distressing that I couldn't feed my child'. (Belinda)*

407
408 The term 'support' acted as a barrier to help-seeking behaviours due its association with
409 'problems' and potential negative connotations for a woman's capacity to mother: '*when you*
410 *say the word support it makes it feel like you need support with a problem*'. These concerns
411 often created additional tension between women's desire to discuss options with
412 professionals and their fears of being perceived as '*unable to cope*'. Avoidance of help-
413 seeking reflected an internalised process of shame through women presenting idealised
414 images of 'coping', with fears of the consequences of 'not coping', whether actual or in terms
415 of self-image, leading to withdrawal and isolation (Lazare, 1987):

416
417 *I think it was the fact that I didn't want to appear that I wasn't coping and I didn't*
418 *want people thinking that, even though I know at the back of my mind that they*
419 *wouldn't be thinking that. (Lorraine)*

420
421 Perceptions of inadequate mothering

422 Lazare (1987) states that shame occurs when we are "not the kind of persons we think we are,
423 wish to be, or need to be" (p. 1653). Many mothers felt a degree of exposure of their
424 'undesirable' selves to others, creating a rupture between the ideal (e.g. the 'good' mother)
425 and actual self (Rubin, 1968).

426
427 Non-breastfeeding women frequently referred to how pro-breastfeeding discourses and
428 negative verbal and/or non-verbal responses from others, primarily health professionals, led
429 them to feel '*second best*', a '*bad mother*' who was '*denying*' and '*depriving*' their child:

430
431 *Breastfeeding [...] is pushed down your throat and out of guilt you are made to feel if*
432 *you don't do it, you are doing your child a mis-justice. Everybody everywhere pushes*
433 *breastfeeding, and [I] feel they look down your nose at you if you don't.* (Kryshia)

434
435 Reactions from health professionals led some of the non-breastfeeding women to feel
436 inadequate and defective: *'they make you feel there is something wrong with you, a body part*
437 *or your baby'*. Many non-breastfeeding women made self-deprecating reflections on their
438 characteristics and capabilities and blamed themselves for the negative health and emotional
439 implications of their **infant feeding method**. One woman described how she took the *'easy*
440 *option'* when she stopped breastfeeding and blamed herself because her son had developed
441 eczema and other allergies; *'they say if you breast feed they don't get that'*. Other spoke of
442 how they *'gave up too early'* and of the *'guilt'*, *'regret'*, *'disappointment'*, *'shame'* associated
443 with, and subsequent morbidity attributed to, their infant feeding decisions:

444
445 *I ended up suffering from quite severe postnatal depression, I have always wondered*
446 *whether that was something to do with it, if I could have breastfed would it have*
447 *happened.* (Jill)

448
449 One woman directly referred to how her *'failure'*, her having *'give[n] in'*, was a direct affront
450 to her self-perceived identity:

451
452 *I always thought I had a lot of patience and that's what upset me more because I just,*
453 *I don't really give in.* (Lorraine)

454
455 Some of the mothers who had initiated but discontinued breastfeeding described how bottle-
456 feeding had disrupted their *'closeness'* with their infant. These women experienced dejection
457 and a sense of inadequacy as, in their view, the maternal role became de-valued and eroded as
458 *'everyone else could take over then'*.

459
460 Conversely, a number of breastfeeding women made reference to the negative judgements
461 received by health professionals when describing the baby's behaviour - *'he's too lazy'* or
462 *'too eager'* - and/or the women's anatomy, e.g. their breasts or nipples being *'too big'* or *'too*
463 *small'*. **The vulnerability of the post-partum state in the following woman's account,**

464 contributed to the effect of what might appear to be blame directed towards the woman or
465 baby, with at least the potential corollary of shame:

466
467 *Quite a lot of comments were negative and when you are in the state you are in,*
468 *you've had a section and your hormones are all over the place and you're tired, you*
469 *don't want to hear negative comments and that it's something that you or he [baby] is*
470 *doing. You just want to hear it's just not working at the minute. I know they mean*
471 *well, [and don't] say things to upset you, but that is what will stick in my mind.*
472 *(Annie)*

473
474 Lazare (1987) emphasised the significance of others in our personal networks in the
475 exacerbation or mitigation of shame. A few breastfeeding women described themselves as
476 'mean' or 'selfish' for adopting an infant feeding method that precluded others' involvement
477 in the care of their infant. Other women received condemnations from others' within their
478 personal networks, leading to negative emotions and cognitions indicating the potentially
479 shame-inducing circumstance of being viewed as contravening appropriate mothering
480 practices:

481
482 *My father and my step mother really, really upset me. They would say "I don't know*
483 *why you are bothering, you put yourself through all this for nothing, just get her on a*
484 *bottle, she is not happy and you're not happy" and it was constant. I would say "I*
485 *have got to get home to feed her", and they would say again, "there is something*
486 *wrong with that child, she is always feeding". [...] I just wanted them to say we are*
487 *really proud of you, you are doing a good job [...] but [...] it was like you are making*
488 *a rod for your own back, you are making life difficult (Kathy)*

489
490 Occasionally, women responded to the criticism by 'others' by withdrawal from the social
491 sphere, leading to potentially destructive emotional and social consequences:

492
493 *I have just shut off from everyone now. I am not listening, I am doing it my way and I*
494 *just ask when I need help instead of everyone just bombarding me, because I went*
495 *dead depressed. (Bernie)*

496
497

Discussion

This paper illuminates the experience of shame by breastfeeding and non-breastfeeding women. The application of Lazare's (1987) framework uncovers the extent to which infant feeding may reflect a shame-inducing event. The vulnerabilities of new motherhood, such as the physical and psychological implications of childbirth and lack of preparation for infant feeding, may render women susceptible to shame. Our findings highlight how negative reactions and responses to women's bodies, abilities and infant feeding methods, undermining and inappropriate support from 'others' can lead breastfeeding and non-breastfeeding mothers alike to feel inadequate, defective and isolated. We contend, like Taylor & Wallace (2012), that shame, as opposed to guilt or humiliation, is a more appropriate concept through which to consider women's infant feeding experiences, due to its occurrence within social contexts of being perceived and judged by others and to its internalisation and enactment.

Shame is considered to be a normal part of social interactions, social control and social conformity (Barbalet, 1999). However, shame may become disruptive when internalised and enacted in particular ways (Gilbert, 2000). In this study, a number of the breastfeeding and non-breastfeeding women disclosed affective responses of shame, such as feelings of fear, humiliation, inferiority and inadequacy. The potential negative implications of shame responses, e.g. fear of public breastfeeding leading to social isolation and/or breastfeeding discontinuation, the potential for pressure and counter-productive effects emerging from the 'breast is best' discourse, and women's reticence in seeking out and engaging with health professionals and services due to fear of condemnation or reprisals, raise key concerns. The fact that shame is self-internalised and the associated implications of poor maternal mental health on disrupted and dysfunctional infant developmental outcomes and family functioning (Murray & Cooper, 1997; Royal College of Midwives, 2012) needs consideration.

Lazare (1987) offers a number of methods for the mitigation of shame in the clinical environment. These include the creation of 'positive atmospheres' to enable patients to feel cared for and respected; the development of positive relationships in which 'weaknesses' are respected and cherished; the avoidance of emotive language; the provision of validation and praise; and the practice of 'clarifying personal perspectives on the problems' (p.1656-1657).

530 The current lack of sufficient breastfeeding support is widely acknowledged (Dykes, 2005a,
531 2005b; Hoddinott et al., 2012; Schmied et al., 2011; Thomson & Dykes, 2011). Other studies
532 argue that the focus on increasing breastfeeding rates has led to bottle-feeding women
533 becoming marginalised (Lakshman et al., 2009; Thomson & Dykes, 2011) and health
534 concerns have been identified in relation to health professionals not conveying appropriate
535 formula feeding procedures to women (Dykes et al., 2012). The insights from our study
536 confirm those of Taylor & Wallace (2012) and Murphy (1999) in terms of how mainstream
537 breastfeeding advocacy and ideologies of the ‘good’ breastfeeding mother have participated
538 in shaming non-breastfeeding mothers. A recent paper (Gribble & Gallagher, 2014) also
539 indicates how breastfeeding is a human rights concern, a view which might add to the
540 condemnation of non-breastfeeding mothers. However, the findings from this study also
541 emphasise how breastfeeding women feel equally marginalized and shamed, as expressed in
542 their social and clinical encounters and fears about breastfeeding in public spaces. As poor
543 care and negative emotions is experienced by women irrespective of their infant feeding
544 method, these insights highlight how breastfeeding and non-breastfeeding women require
545 targeted, needs-led support throughout the perinatal period.

546
547 A recent meta-synthesis of research into women’s perceptions of breastfeeding support by
548 Schmied et al (2011) identified how breastfeeding support occurs along a continuum from
549 ‘authentic presence’ to ‘disconnected encounters’. ‘Authentic presence’ refers to a trusting
550 partnership between the mother and supporter, with information and support tailored towards
551 the values and needs of the woman. ‘Disconnected encounters’ were characterised by limited
552 or no relationship, with information and advice provided in a didactic style. To illuminate the
553 ‘quality’ of breastfeeding support further, Burns et al (2013) identified two discourses in
554 language and practices of midwives that led to disconnected encounters, both of which were
555 evident in the current study. One discourse (i.e. “mining for liquid gold”) refers to how
556 midwives have the ‘obligation’ to ensure that babies received enough breast milk. By being
557 ‘experts’ midwives not only had the ‘right’ to introduce techniques and technologies to
558 ensure optimal outcomes but also an undisputed right to the women’s bodies. The other
559 discourse leading to disconnected encounters (i.e. “not rocket science”) was described as
560 women being left to their own resources because breastfeeding was ‘natural’ and ‘easy’. In
561 both these discourses the midwives focused merely on the physical body and held a
562 reductionist approach to breastfeeding support. However, Burns et al (2013) also identified a
563 minority discourse (i.e. “breastfeeding is a relationship”) where midwives regarded

564 breastfeeding as a relationship and therefore acknowledged the mother-baby relationship
565 being central to the breastfeeding experience. These midwives spent time engaging with
566 mothers on a personal level to get to know them and their babies needs and hence had a more
567 'authentic presence'. We suggest that the findings of these studies (Burns et al., 2013;
568 Schmied et al., 2011) are equally applicable to non-breastfeeding mothers and their
569 relationships with their supporters, which would also benefit decisively from an 'authentic
570 presence'.

571
572 Whilst there appears to be a fine line between protecting women from what might appear as
573 hurtful judgement and indirectly undermining the cause of breastfeeding, Taylor & Wallace
574 (2012) emphasise how women should be enabled to provide their own definition of 'good
575 mothers' so that 'they are empowered to incorporate a sense of self-concern' (p.78) into their
576 self-image. Positive 'authentic' relationships based on trust and respect, which may or may
577 not facilitate successful breastfeeding, could encourage maternal-led definitions of 'good
578 motherhood', promote positive maternal health and work against women's reticence in help-
579 seeking behaviours. Furthermore, raising awareness of breastfeeding difficulties, such as
580 through the motivational model of breastfeeding support detailed by Stockdale et al (2011),
581 may help to minimise women's vulnerabilities. The use of an ASSETs based approach (Foot,
582 2012) in the maternity context that recognises how adoption of behaviours is situated within
583 different personal, family and community environments may also be beneficial to mitigate
584 against perceptions of shame irrespective of the women's infant feeding methods. A further
585 suggestion offered by Lazare to mitigate shame relates to the use of support groups. The
586 social, emotional and practical benefits of breastfeeding support groups have been reported in
587 the literature (e.g. Thomson, Crossland, et al., 2012). The creation of 'infant feeding groups',
588 as opposed to the current model of group ownership being determined by a specific feeding
589 method, could enable these benefits to be available for all.

590
591 Whilst Lazare's insights are targeted to a more clinically based context, this study also
592 emphasises the wider social and cultural influences of shame. The moral connotations of
593 breastfeeding are discussed by Blum (2000), who refers to the ways in which breasts signal
594 the 'good' maternal body (i.e. breastfeeding) and the 'bad' sexual body (i.e. public
595 breastfeeding). Taylor & Wallace (2012) amongst others (e.g. Dykes, 2005a; Hoddinott et al.,
596 2012; Schmied et al., 2011) additionally pinpoint a need to address the cultural, ideological
597 and structural constraints that work against breastfeeding. However, the findings from this

Formatted: Highlight

Formatted: Highlight

Formatted: Highlight

Field Code Changed

Formatted: Highlight

Formatted: Highlight

Field Code Changed

Formatted: Highlight

Formatted: Highlight

598 study illuminate also show how these constraints equally apply to non-breastfeeding women.
599 ~~C~~ondemnation and internalisations of failure and adequacy that are experienced amongst
600 breastfeeding and non-breastfeeding mothers are appear to be directly related to social and
601 cultural norms of 'acceptable' infant feeding practices. Taylor & Wallace (2012) amongst
602 others (e.g. Dykes, 2005a; Hoddinott et al., 2012; Schmied et al., 2011) additionally pinpoint
603 a need to address the ideological and structural constraints that work against breastfeeding.
604 For example, While public breastfeeding areas are becoming more commonplace in high-
605 middle income countries to promote the 'normality' of this infant feeding practice (Thomson,
606 Bilson, et al., 2012), yet this is only part of the work required. Labbok argues for
607 'transdisciplinarity' in terms of different disciplines coming together to define and address the
608 problem being addressed. A transdisciplinary approach could be achieved through third
609 sector organisations and maternity professionals developing professional advocacy services
610 for women in order to address these constraints, prevent against shame responses and ensure
611 that maternal and infant well-being is nurtured and developed.

612
613 There is both national (Department of Health, 2014) and international (UNICEF) recognition
614 of how early child development lays foundations for lifelong learning, behaviour, and health
615 patterns. It is crucial in this context that women's shame responses are minimised,
616 irrespective of their infant feeding methods. Thus, there is a definite need for professional
617 advocates to acknowledge and enact on the cultural, ideological and structural constraints to
618 ensure that maternal and infant well-being are nurtured and developed.

619
620 **Strengths and limitations**

621 A key strength of this paper is the inclusion of women with a wide range of infant feeding
622 experiences. Analysis was undertaken by three authors, enhancing the trustworthiness of the
623 data. By using Lazare's categories of shame as a conceptual lens we were able to highlight
624 the personal, cultural, structural and social factors that can induce and create shame. The
625 focused and continual consideration of the literature on shame throughout data analysis also
626 enhanced the authenticity of the interpretations generated. Limitations include restricted
627 views from minority ethnic women due to the area in which the study was undertaken. Whilst
628 the recruitment strategy targeted women from different socio-economic backgrounds, an
629 important limitation relates to the lack of information on income or educational status of the
630 included mothers. This is particularly important to assess in future studies due to women who
631 are younger, less educated and more deprived identified as those who are less likely to

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Field Code Changed

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Field Code Changed

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Field Code Changed

Commented [GT1]: 1.Labbok MH:
Transdisciplinary breastfeeding support:
Creating program and policy synergy across
the reproductive continuum.
International Breastfeeding Journal 2008, 3:16.

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Formatted: Highlight

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Formatted: Highlight

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Formatted: Highlight

Formatted: Font: (Default) Times New Roman, 12 pt, Highlight

Formatted: Highlight

Formatted: Highlight

Commented [GT2]: Two minds as to whether this needs to
come up earlier before the last para?

breastfeed (Flacking et al., 2007). As breastfeeding tends to be the norm in many non-western cultures, the shame responses reported in this paper may not be transferable outside of a western context. The focus of data collection was not specifically to elicit shame, but rather more general exploration of women's infant feeding experiences. Whilst on one hand this open approach has enabled more nuanced realities and opportunities for women to identify what mattered most, more specific questioning on shame responses might have enriched the findings. Qualitative research to elicit where, why and for whom shame is experienced (e.g. between high and low income families) as well as the implications of these experiences of shame is worthy of further consideration.

Conclusion

This study has highlighted how breastfeeding and non-breastfeeding mothers experience shame. Breastfeeding mothers may risk shame if they breastfeed, particularly in public, due to exposure of the sexualised maternal body. Those who do not breastfeed may experience shame through 'failing' to give their infant the 'best start'. Breastfeeding and non-breastfeeding mothers may also experience inadequate support, judgement and condemnation, leading to feelings of failure, inadequacy and isolation. Strategies and support that addresses personal, cultural, ideological and structural constraints upon infant feeding are required. Sensitivity to the potential experience of shame in relation to infant feeding and to professional and public discourses which might generate this experience appears crucial in providing mothers with the care and support they need.

References

- American Academy of Pediatrics. (2012) Breastfeeding and the use of human milk. *Pediatrics* **129**, 827-841.
- Barbalet, J. M. (1999) *Emotion, social theory, and social structure: a macrosociological approach*. Cambridge University Press: Cambridge.
- Blum, L. (2000) *At the breast: Ideologies of breastfeeding and motherhood in the contemporary United States*. Beacon Press: Boston.
- Burns, E., Fenwick, J., Sheehan, A., & Schmied, V. (2013) Mining for liquid gold: midwifery language and practices associated with early breastfeeding support. *Maternal and Child Nutrition* **9**, 57-73.
- ~~Department of Health (2014) *Maternity and early years: making a good start to family life*. Retrieved from http://dera.ioe.ac.uk/1833/1/dh_115021.pdf.~~
- Dykes, F. (2005a) A critical ethnographic study of encounters between midwives and breastfeeding women in postnatal wards in England. *Midwifery* **21**, 241-252.

- 669 Dykes, F. (2005b) 'Supply' and 'demand': breastfeeding as labour. *Social Science & Medicine*
670 **60**, 2283-2293.
- 671 Dykes, F. (2007) 'Resisting the gaze': the subversive nature of breastfeeding. In: *Exploring*
672 *the 'dirty' side of women's health* (Eds M. Kirkham), Routledge: London.
- 673 Dykes, F., & Flacking, R. (2010) Encouraging breastfeeding: a relational perspective. *Early*
674 *Human Development* **86**, 733-736.
- 675 Dykes, F., Richardson-Foster, H., Crossland, N., & Thomson, G. (2012) 'Dancing on a thin
676 line': evaluation of an infant feeding information team to implement the WHO code of
677 marketing of breast-milk substitutes. *Midwifery* **28**, 765-771.
- 678 Flacking, R., Nyqvist, K. H., & Ewald, U. (2007) Effects of socioeconomic status on
679 breastfeeding duration in mothers of preterm and term infants. *European Journal of*
680 *Public Health* **17**, 579-584.
- 681 Foot, J. (2012). What makes us healthy? The asset approach in practice: evidence, action,
682 evaluation. from
683 <http://www.assetbasedconsulting.co.uk/uploads/publications/WMUH.pdf>
- 684 Gale, N. K., Heath, G., Cameron, E., Rashid, S., & Redwood, S. (2013) Using the framework
685 method for the analysis of qualitative data in multi-disciplinary health research. *BMC*
686 *Medical Research Methodology* **13**, 117.
- 687 Gilbert, P. (2000) The Relationship of Shame, Social Anxiety and Depression: the Role of the
688 Evaluation of Social Rank. *Clinical Psychology & Psychotherapy* **7**, 174-189.
- 689 Gilbert, P., & McGuire, M. (1998) Shame, Status, and Social Roles. Psychobiology and
690 Evolution. In: *Shame. Interpersonal Behavior, Psychopathology, and Culture* (Eds P.
691 Gilbert & B. Andrews), Oxford University Press: New York.
- 692 Gribble, K., & Gallagher, M. (2014) Rights of children in relation to breastfeeding in child
693 protection cases. *British Journal of Social Work*. doi: 10.1093/bjsw/bcu004
- 694 Hauck, Y. L., & Iruita, V. F. (2002) Constructing compatibility: managing breast-feeding
695 and weaning from the mother's perspective. *Qualitative Health Research* **12**, 897-914.
- 696 Hoddinott, P., Craig, L. C., Britten, J., & McInnes, R. M. (2012) A serial qualitative
697 interview study of infant feeding experiences: idealism meets realism. *BMJ Open*.
698 10.1136/bmjopen-2011-000504
- 699 Kaufman, G. (1996) *The psychology of shame: theory and treatment of shame-based*
700 *syndromes*. (2 ed.). Springer: New York.
- 701 Lakshman, R., Ogilvie, D., & Ong, K. K. (2009) Mothers' experiences of bottle-feeding: a
702 systematic review of qualitative and quantitative studies. *Archives of Disease in*
703 *Childhood* **94**, 596-601.
- 704 Lazare, A. (1987) Shame and humiliation in the medical encounter. *Archives of Internal*
705 *Medicine* **147**, 1653-1658.
- 706 Lee, E. (2007) Health, morality, and infant feeding: British mothers' experiences of formula
707 milk use in the early weeks. *Sociology of Health and Illness* **29**, 1075-1090.
- 708 Lewis, H. (1971) *Shame and Guilt in Neurosis*. International Universities Press: New York.
- 709 Lynd, H. (1958) *On Shame and the Search for Identity*. Science Editions, Inc: New York.
- 710 McAndrew, F., Thompson, J., Fellows, L., Large, A., Speed, M., & Renfrew, M. (2012)
711 *Infant Feeding Survey 2010*. Health and Social Care Information Centre: UK.
- 712 Murphy, E. (1999) 'Breast is best': infant feeding decisions and maternal deviance. *Sociology*
713 *of Health and Illness* **21**, 187-208.
- 714 Murray, L., & Cooper, P. (1997) Effects of postnatal depression on infant development.
715 *Archives of Disease in Childhood* **77**, 99-101.
- 716 Niedenthal, P. M., Tangney, J. P., & Gavanski, I. (1994) "If only I weren't" versus "if only I
717 hadn't": distinguishing shame and guilt in counterfactual thinking. *Journal of*
718 *Personality and Social Psychology* **67**, 585-595.

- Ritchie, J., & Lewis, J. (2003) *Qualitative research practice: a guide for social science students and researchers*. Sage: London.
- Royal College of Midwives. (2012). Maternal emotional wellbeing and infant development: a good practice guide for midwives. Retrieved Feb 2014, from <http://www.rcm.org.uk/college/your-career/information-services/resources/>
- Rubin, R. (1968) Body image and self-esteem. *Nursing Outlook* **16**, 20-23.
- Rubin, R. (1984) *Maternal Identity and the Maternal Experience*. Springer Publishing Co.: New York.
- Scheff, T. J. (1997) *Emotions, the social bond, and human reality: part/whole*. Cambridge University Press: Cambridge.
- Schmied, V., & Barclay, L. (1999) Connection and pleasure, disruption and distress: women's experience of breastfeeding. *Journal of Human Lactation* **15**, 325-334.
- Schmied, V., Beake, S., Sheehan, A., McCourt, C., & Dykes, F. (2011) Women's perceptions and experiences of breastfeeding support: a metasynthesis. *Birth* **38**, 49-60.
- Stockdale, J., Sinclair, M., Kernohan, G., & Keller, J. (2011) Understanding motivational theory and the psychology of breastfeeding. In: *Theory for Midwifery Practice*. (Eds R. Bryar & M. Sinclair), Social Science Research Unit: London.
- Tangney, J. P., Miller, R. S., Flicker, L., & Barlow, D. H. (1996) Are shame, guilt, and embarrassment distinct emotions? *Journal of Personality and Social Psychology* **70**, 1256-1269.
- Tantam, D. (1998) The emotional disorders of shame. In: *Shame: Interpersonal behaviour, psychopathology and culture*. (Eds P. Gilbert & B. Andrews), Oxford University Press: New York.
- Taylor, E., & Wallace, L. (2012) For shame: feminism, breastfeeding advocacy, and maternal guilt. *Hypatia* **27**, 76-98.
- The National Board of Health and Welfare (2012) *Breast-feeding and smoking habits among parents of infants born in 2010*. Centre for Epidemiology: Stockholm.
- Thomson, G., Bilson, A., & Dykes, F. (2012) Implementing the WHO/UNICEF Baby Friendly Initiative in the community: a 'hearts and minds' approach. *Midwifery* **28**, 258-264.
- Thomson, G., Crossland, N., & Dykes, F. (2012) Giving me hope: women's reflections on a breastfeeding peer support service. *Maternal and Child Nutrition* **8**, 340-353.
- Thomson, G., & Dykes, F. (2011) Women's sense of coherence related to their infant feeding experiences. *Maternal and Child Nutrition* **7**, 160-174.
- World Health Organization (2003) *Global Strategy for Infant and Young Child Feeding*. WHO: Geneva.

Authorship

GT was the project lead for this study and collected all the data. GT and RF had the original conceptions for the paper. RF significantly contributed to the introduction section on shame and reviewed and provided feedback on analytical decisions on an on-going basis. GT and KEB were involved in the analysis and interpretation of the findings. GT produced the initial draft of the paper and RF and KEB provided feedback and contributions to various sections. All authors critically reviewed and approved the final content.

764 **Acknowledgements:** We would like to thank the professionals and organisers/project leads
765 for helping to facilitate access to mothers, and to all the mothers for their valued insights.
766 Thanks are also extended to Professor Fiona Dykes for her critical review of this article.

767

768 **Source of Funding:** This study was funded by North Lancashire Primary Care Trust.

769

770 **Conflict of Interest:** The authors declare that they have no conflicts of interest

771