

Central Lancashire Online Knowledge (CLoK)

Title	Impact of nursing intervention on improving HIV, hepatitis knowledge and mental health among homeless young adults (Nyamathi et al. 2013)
Type	Article
URL	https://clok.uclan.ac.uk/id/eprint/17465/
DOI	
Date	2015
Citation	Jones, Emma and Meek, James (2015) Impact of nursing intervention on improving HIV, hepatitis knowledge and mental health among homeless young adults (Nyamathi et al. 2013). HIV Nursing, 15 (3). p. 92. ISSN 1474-7359
Creators	Jones, Emma and Meek, James

It is advisable to refer to the publisher's version if you intend to cite from the work.

For information about Research at UCLan please go to http://www.uclan.ac.uk/research/

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the http://clok.uclan.ac.uk/policies/

Article review HIV Nursing 2015; 15: 92

Article review

Impact of nursing intervention on improving HIV, hepatitis knowledge and mental health among homeless young adults (Nyamathi et al. 2013)

Emma S Jones and James Meek Lecturers, University of Central Lancashire, Preston, UK

he subject article [1] reports on the results from a pilot study considering the impact of two terventions on improving homeless young adults' knowledge of HIV and hepatitis, and their mental health (n=156, n=100 at follow-up, respectively). It is an important area to explore, bearing in mind the risks of HIV, hepatitis and mental distress to the homeless population,

particularly the young homeless [2].

Although this study was implemented in the US, it has considerable relevance for the UK as homeless young adults are a particularly difficult client group to reach [3], and services provided for young adults continue to need development [4]. It is therefore important that we consider ways of enhancing young adults' knowledge around HIV and hepatitis, and improving their mental health and wellbeing.

The study of Nyamathi et al. found that the participants' knowledge of HIV and hepatitis increased following the two culturally sensitive interventions: firstly, a 'nurse-led HIV/AIDS and hepatitis health promotion programme'; and secondly, an 'art messaging programme', with the first showing more promise. The participants' mental health also increased significantly, and yet, mental health is addressed minimally in this paper. It would have been useful for the impact of interventions on the participants' mental health to be explored in more depth, considering the important implications of a person's mental state on their engagement in programmes [5].

An interesting finding from this article was the positive impact on subjects of having significant others in their lives. Also, that the use of illicit substances had a particularly negative affect on outcomes; the authors pose that this may be due to increased risk-taking when intoxicated, which is similar to conclusions from previous studies [6].

Nyamathi and colleagues provide an interesting discussion on the positive influence of having a 'trusted individual' involved in the intervention, including the importance of using a calm and empathic approach. They found that having a group format that was flexible, engaging and interactive, and having a welcoming nurse, who was able to relate to them as peers, led to positive outcomes. It would have been interesting for this to be explored further.

The authors rightly highlight the limitations of the study to include a low follow-up rate; however, in addition to this article being of interest to healthcare professionals, it also enhances the knowledge base for other professionals working in this field. It is important for HIV nurse specialists to enhance their understanding of the impact of interventions for young adults, not only with regards to knowledge of HIV and hepatitis, but also mental health.

References

- 1. Nyamathi A, Kennedy B, Branson C et al. Impact of nursing intervention on improving HIV, hepatitis knowledge and mental health among homeless young adults. Community Ment Health J, 2013, 49, 178-184.
- 2. Kidd SA. Factors precipitating suicidality among homeless youth: A quantitative follow-up. Youth and Society, 2006, 37, 393-422.
- 3. Mackelprang J, Harpin S, Grubenhoff J, Rivara F. Adverse outcomes among homeless adolescents and young adults who report a history of traumatic brain injury. Am J Public Health, 2014, 104, 1986-1992.
- 4. Homeless Link. Young & homeless 2014. Available at: www.homeless.org.uk/sites/default/files/siteattachments/201411%20-%20 Young%20 and%20 Homeless%20-%20Full%20Report.pdf (accessed August 2015).
- 5. Kim H, Munson M, McKay M. Engagement in mental health treatment among adolescents and young adults: A systematic review. Child Adolesc Soc Work J, 2012, 29, 241-266.
- 6. Patrick M, O'Malley P, Johnston L, Terry-McElrath YM, Schulenberg JE. HIV/AIDS risk behaviors and substance use by young adults in the United States. Prev Sci, 2012, 13, 532-538.

Correspondence: Emma S Jones ejones14@uclan.ac.uk