

Central Lancashire Online Knowledge (CLOK)

Title	Correction: Clinical applications of infrared and Raman spectroscopy: state of play and future challenges
Type	Article
URL	https://clock.uclan.ac.uk/id/eprint/22120/
DOI	https://doi.org/10.1039/c8an90029a
Date	2018
Citation	Baker, Matthew J, Byrne, Hugh J, Chalmers, John, Gardner, Peter, Goodacre, Royston, Henderson, Alex, Kazarian, Sergei G, Martin, Francis L, Moger, Julian et al (2018) Correction: Clinical applications of infrared and Raman spectroscopy: state of play and future challenges. The Analyst, 143. p. 1934. ISSN 1364-5528
Creators	Baker, Matthew J, Byrne, Hugh J, Chalmers, John, Gardner, Peter, Goodacre, Royston, Henderson, Alex, Kazarian, Sergei G, Martin, Francis L, Moger, Julian, Stone, Nick and Sulé-Suso, Josep

It is advisable to refer to the publisher's version if you intend to cite from the work.
<https://doi.org/10.1039/c8an90029a>

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLOK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)
Cite this: *Analyst*, 2018, **143**, 1934

Correction: Clinical applications of infrared and Raman spectroscopy: state of play and future challenges

Matthew J. Baker,^a Hugh J. Byrne,^{*b} John Chalmers,^c Peter Gardner,^d
 Royston Goodacre,^d Alex Henderson,^d Sergei G. Kazarian,^e Francis L. Martin,^f
 Julian Moger,^g Nick Stone^g and Josep Sulé-Suso^h

DOI: 10.1039/c8an90029a

rsc.li/analyst

Correction for 'Clinical applications of infrared and Raman spectroscopy: state of play and future challenges' by Matthew J. Baker, *et al.*, *Analyst*, 2018, DOI: 10.1039/c7an01871a.

On the ninth page of this review article there are two errors. The correct details are as follows:

- Ninth page, left column, 9th line from the bottom: at the end of the sentence the citation numbers should read '106,108,111' instead of '103,105,108'.
- Ninth page, left column, 5th line from the bottom: the start of the sentence on that line should be 'The most recent...'

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aWestCHEM, Technology and Innovation Centre, Department of Pure and Applied Chemistry, University of Strathclyde, 99 George Street, Glasgow G1 1RD, UK

^bFOCAS Research Institute, Dublin Institute of Technology, Kevin Street, Dublin 8, Ireland. E-mail: Hugh.Byrne@dit.ie

^cVS Consulting, Tame Bridge, Stokesley, TS9 5NW, UK

^dManchester Institute of Biotechnology (MIB), University of Manchester, 131 Princess Street, Manchester, M1 7DN, UK

^eDepartment of Chemical Engineering, Imperial College London, South Kensington Campus, London, SW7 2AZ, UK

^fSchool of Pharmacy and Biomedical Sciences, University of Central Lancashire, Preston PR1 2HE, UK

^gBiomedical Physics, School of Physics and Astronomy, University of Exeter, Exeter EX4 4QL, UK

^hInstitute for Science and Technology in Medicine, Keele University, Guy Hilton Research Centre, Thornburrow Drive, Stoke on Trent ST4 7QB, UK

