

Central Lancashire Online Knowledge (CLOK)

Title	Pulp Necrosis Treatment: Evaluating the Effectiveness of Stem Cell Therapy: A Minireview
Type	Article
URL	https://clock.uclan.ac.uk/id/eprint/55890/
DOI	10.18502/wkmj.v67i2.17125
Date	2025
Citation	Kurmanalina, Madina A., Rehman, Ihtesham U, Sumanova, Aigul M. and Shabanbayeva, Zhanara A. (2025) Pulp Necrosis Treatment: Evaluating the Effectiveness of Stem Cell Therapy: A Minireview. West Kazakhstan Medical Journal, 67 (2). pp. 150-161. ISSN 2707-6180
Creators	Kurmanalina, Madina A., Rehman, Ihtesham U, Sumanova, Aigul M. and Shabanbayeva, Zhanara A.

It is advisable to refer to the publisher's version if you intend to cite from the work.
10.18502/wkmj.v67i2.17125

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLOK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>



Mini Review

Pulp Necrosis Treatment: Evaluating the Effectiveness of Stem Cell Therapy: A Minireview

Madina A. Kurmanalina^{1*}, Ihtesham ur Rehman², Aigul M. Sumanova³, Zhanara A. Shabanbayeva³

¹Department of Therapeutic and Prosthetic Dentistry, West Kazakhstan Marat Ospanov Medical University, Aktobe, Kazakhstan

²Professor of Biomaterials and Regenerative Medicine, School of Medicine and Dentistry, University of Central Lancashire, Preston, United Kingdom

³Department of Therapeutic and Surgical Dentistry, Astana Medical University, Astana, Kazakhstan

Abstract

Pulp necrosis, a prevalent condition in endodontics, poses significant challenges in preserving tooth vitality and function. Traditional treatment methods like root canal therapy often focus on managing symptoms and controlling the infection rather than promoting natural tissue regeneration. This article evaluates the effectiveness of stem cell therapy as an innovative approach to treating pulp necrosis. We review recent advancements and clinical trials that explore the regenerative potential of stem cells, including mesenchymal stem cells (MSCs), from various sources. The review highlights the underlying mechanisms of stem cell therapy, such as differentiation and angiogenesis, and compares these to conventional methods in terms of efficacy and patient outcomes. By examining the current state of research, challenges, and future directions, this article aims to provide a comprehensive understanding of how stem cell therapy could revolutionize the treatment of pulp necrosis and improve clinical practice.

Keywords: pulp necrosis, stem cell therapy, mesenchymal stem cells, regenerative endodontics, tooth vitality, angiogenesis

Corresponding Author: Madina A. Kurmanalina; email: madina83203@gmail.com

Received: 7 September 2024

Accepted: 15 October 2024

Published: 2 June 2025

Production and Hosting by
KnE Publishing

© Madina A. Kurmanalina et al. This article is distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use and redistribution provided that the original author and source are credited.



1. Introduction

Pulp necrosis, also known as pulp death, is a condition characterized by the irreversible loss of vitality in the dental pulp, the soft tissue inside the tooth that contains nerves, blood vessels, and connective tissue [1]. This condition often arises due to severe dental caries, trauma, or repeated dental procedures that compromise the health of the pulp [2]. The prevalence of pulp necrosis is significant, with studies indicating that it affects a substantial proportion of the adult population [3]. According to epidemiological data, pulp necrosis can occur in up to 25% of patients undergoing endodontic treatment, making it a common and critical concern in dental practice [4].

Traditional treatment methods for pulp necrosis primarily involve endodontic therapy, commonly referred to as root canal therapy [5]. The procedure aims to remove the necrotic pulp tissue, disinfect the root canals, and fill them with a biocompatible material to prevent reinfection [6]. While root canal therapy is generally effective in resolving symptoms and preserving the tooth, it has limitations like potential complications related to canal anatomy, reinfection, and the inability to regenerate lost pulp tissue [7]. Despite advancements in endodontic techniques and materials, the challenge of achieving complete pulp regeneration remains a significant issue [8].

In recent years, stem cell therapy has emerged as a promising alternative to conventional treatments, particularly in regenerative medicine [9]. Stem cells are undifferentiated cells with the unique ability to differentiate into various cell types and regenerate damaged tissues [10], and restore the vitality and functionality of the dental pulp [11]. This concept aligns with the principles of regenerative endodontics, aiming to biologically restore the structural and functional integrity of the pulp tissue [12]. Stem cells derived from different sources, including dental pulp, dental follicle, and bone marrow, have demonstrated the potential to differentiate into odontoblast-like cells, produce dentin-like tissue, and promote vascularization within the pulp chamber [9, 13].

This regenerative potential addresses the limitations of traditional endodontic therapies by aiming to restore the natural pulp environment and its functions. Furthermore, stem cell-based approaches may offer improved clinical outcomes, reduce the risk of reinfection, and enhance long-term tooth survival [14].

As research continues to evolve, the integration of stem cell therapy into clinical practice presents an exciting opportunity to advance the treatment of pulp necrosis and improve patient outcomes. The subsequent sections of this article will delve into the specifics of stem cell therapy, review recent clinical studies, and explore the potential impact of this innovative approach on endodontic care.

2. Stem Cell Therapy for Pulp Necrosis

2.1. Types of stem cells used

Stem cell therapy for pulp necrosis primarily involves mesenchymal stem cells (MSCs), which are multipotent cells capable of differentiating into various cell types and contributing to tissue regeneration [11]. Dental pulp stem cells (DPSCs) are isolated from the dental pulp of healthy, extracted teeth [15]. They possess the ability to differentiate into odontoblast-like cells, which are essential for forming dentin-like tissue [16]. DPSCs are advantageous due to their direct origin from the target tissue, which makes them highly suitable for pulp regeneration [17]. DPSCs are the most directly relevant to pulp regeneration, with strong potential for odontoblast differentiation and tissue formation [18]. However, their availability is limited to extracted teeth, which may not always be accessible or practical [15].

Dental follicle stem cells (DFSCs) are derived from the dental follicle, a tissue surrounding the developing tooth [19]. These stem cells have shown potential for differentiating into various cell types, including odontoblasts and cementoblasts [20]. Their advantage lies in their ability to contribute to the regeneration of both pulp and periodontal tissues, making them versatile [21, 22]. However, their isolation process can be more invasive, as it involves the extraction of developing teeth [7].

Bone marrow-derived stem cells (BMSCs) are obtained from the bone marrow and have been widely studied for their regenerative capabilities [23]. Although not specific to dental tissues, BMSCs can differentiate into odontoblast-like cells and support pulp regeneration through paracrine-signaling and cell-mediated mechanisms [24]. BMSCs are widely available and have extensive research backing their regenerative properties [25]. However, their differentiation potential into odontoblast-like cells is less specific compared to DPSCs [26].

Adipose-derived stem cells (ADSCs) are harvested from adipose tissue and have shown promise in regenerative applications due to their ease of procurement and multi-lineage differentiation potential [27]. They have been explored for pulp regeneration due to their ability to secrete growth factors and promote tissue repair [28]. ADSCs are advantageous due to their abundance and less invasive harvesting method [29]. Nevertheless, their differentiation into odontoblasts is less well-established compared to DPSCs [30].

2.2. Mechanisms of action

The regenerative processes involved in stem cell therapy for pulp necrosis are multifaceted and include differentiation, angiogenesis, anti-inflammatory effects, and cell-cell and cell-matrix interactions [31]. MSCs differentiate into odontoblast-like cells, which produce dentin-like tissue and support the restoration of the pulp's structural and functional properties [32]. MSCs secrete various cytokines and growth factors that modulate the inflammatory response within the pulp [33]. By reducing inflammation, stem cells create a more favorable environment for tissue regeneration [34]. In addition, they interact with surrounding cells

and the extracellular matrix, thereby promoting tissue repair [35] and contributing to the organization and structuring of newly formed pulp tissue [36]. This regenerative process is further supported by growth factors, signaling molecules, and microenvironmental cues that establish a conducive niche for pulp tissue development [37]. MSCs themselves can differentiate into specialized cells such as chondrocytes, osteocytes, and myocytes, directly contributing to the regeneration of cartilage, bone, and muscle tissues [60].

Key growth factors involved in pulp regeneration include:

Bone morphogenetic proteins (BMPs): These proteins play a critical role in the differentiation of MSCs into odontoblast-like cells [38]. BMP-2, for example, has been shown to enhance odontogenic differentiation by promoting the formation of dentin-like tissue and supporting pulp vitality [39].

Fibroblast growth factors (FGFs): FGFs, particularly FGF-2, contribute to the proliferation and differentiation of DPSCs [40, 41]. FGF signaling also supports the formation of new blood vessels (angiogenesis), which is essential for establishing a vascular supply within the regenerating pulp [42].

Vascular endothelial growth factor (VEGF): VEGF is another key growth factor that promotes angiogenesis within the pulp [43, 44]. This vascularization is critical for nutrient supply, oxygenation, and overall tissue survival and integration [45].

Signaling pathways that guide stem cell behavior in pulp necrosis therapy include:

Wnt signaling pathway: The Wnt/ β -catenin pathway is known to regulate the proliferation and differentiation of stem cells into odontoblast-like cells [46]. Activation of Wnt signaling enhances the formation of dentin and supports tissue regeneration in the pulp [47].

Notch signaling pathway: This pathway influences cell fate determination and differentiation during tissue repair [48]. Notch signaling plays a role in the regulation of stem cell differentiation, helping to maintain the balance between stem cell self-renewal and differentiation (49).

Microenvironmental factors that influence stem cell activity during regeneration include:

Extracellular matrix (ECM): The ECM provides structural support and biochemical signals that guide stem cell behavior [50]. Components such as collagen and fibronectin interact with integrins on the surface of stem cells, promoting adhesion, migration, and differentiation [51].

Oxygen tension: Low oxygen levels (hypoxia) within the pulp tissue can influence stem cell differentiation [52]. Hypoxic conditions have been shown to enhance the osteogenic and odontogenic differentiation of DPSCs by activating hypoxia-inducible factors (HIFs) which play a role in tissue repair and regeneration [53]. These multifaceted actions underscore the potential of stem cells, particularly MSCs, as therapeutic tools in regenerative medicine (Figure 1).

By integrating growth factors, signaling pathways, and microenvironmental elements, stem cell therapy can offer a more natural restoration of tooth vitality compared to conventional treatments. These processes are essential in guiding the differentiation of MSCs, enhancing tissue integration, and improving the clinical outcomes of regenerative endodontics.




Figure 1: A schematic overview of the treatment process, detailing each step involved in the procedure. It shows the sequential stages of root canal preparation, the introduction of exosomes derived from human umbilical cord mesenchymal stromal/stem cells (hUCMSCs) combined with chitosan into the root canal, followed by the final cavity sealing using glass ionomer cement. Reproduced with permission from reference [61].

3. Review of Clinical Studies

Recent research has highlighted significant advancements in the use of stem cell therapy for pulp necrosis. Clinical trials and studies have explored various aspects of this innovative approach, revealing promising results (Table 1).

4. Challenges and Future Directions

One of the primary technical challenges in stem cell therapy is the efficient and ethical sourcing of stem cells. Obtaining high-quality stem cells from sources such as dental pulp, dental follicle, or adipose tissue can be complex and resource-intensive. Additionally, maintaining stem cell viability and functionality during processing, storage, and transplantation requires meticulous handling and advanced techniques.

Furthermore, ensuring that stem cells differentiate into the appropriate cell types and integrate effectively with existing dental tissue is a significant biological challenge. Variability in differentiation outcomes, cell survival, and integration can impact the overall success of the therapy. Achieving consistent and predictable results remains an area of active research.

Table 1: Overview of clinical studies on stem cell therapy for pulp necrosis.

Stem Cell Type	Patient Population	Condition Treated	Methodology	Follow-up Period	Key Findings	References
DPSCs	36 patients, 26 incisors with dental trauma	Pulp necrosis	Autologous hDPSC aggregates implanted with extracellular matrix	1, 3, 6, 9, 12, and 24 months	3D regeneration of dental pulp, no significant side effects, no inflammation, root development continued, decrease in apical foramen width, increased root length, improved vascularization	[63]
Autologous DPSCs + GMP-grade G-CSF	5 adult patients with irreversible pulpitis	Irreversible pulpitis	DPSCs and G-CSF transplantation	4 weeks	Strong positive response to electric pulp testing in 4 patients, functional dentin formation confirmed in 3 patients, no adverse events or toxicity	[63]
DPSCs + L-PRF	1 patient with mature permanent tooth	Irreversible pulpitis	DPSCs + L-PRF transplanted into root canal	6 months, 3 years	Tooth responded to cold and electric pulp tests, vitality tests showed low blood perfusion, effective and safe therapy but limited by high costs and need for GMP-grade laboratory	[64]
Dental pulp from third molar	3 patients with single-rooted premolars	Pulp necrosis requiring RCT	Dental pulp autotransplantation	3, 6, 9, 12 months	Positive pulp vitality, regression of periapical lesions at 3 and 6 months, revascularization confirmed by Doppler imaging after 9–12 months. Promising, but requires larger clinical trials for validation	[65]

Although autologous stem cells (derived from the patient's own tissues) generally have a lower risk of immune rejection, the use of allogeneic (donor-derived) stem cells poses a risk of immunological complications. Addressing immune compatibility and minimizing adverse reactions are crucial for successful therapy.

Developing scalable and standardized protocols for stem cell isolation, processing, and application is essential for translating research findings into clinical practice. Variability in these processes can affect the reproducibility and effectiveness of treatments.

5. Conclusions

The evaluation of stem cell therapy for pulp necrosis reveals several key insights into its potential benefits and current limitations. Stem cell therapy, particularly using MSCs from dental pulp, dental follicle, or other sources, demonstrates a promising alternative to traditional root canal treatments. Recent clinical

trials and studies have shown that stem cell-based approaches can enhance pulp tissue regeneration, promote dentin formation, and improve clinical outcomes. Stem cell therapy for pulp necrosis represents a significant advancement in regenerative endodontics, offering the potential for improved outcomes and enhanced patient care. While challenges remain, ongoing research and innovation hold the promise of overcoming these obstacles and establishing stem cell therapy as a viable and effective treatment option in clinical practice.

References

- [1] Chandra R, Tripathi S, De Raktim, Dixit M, Nishchhal A, Franklin S. Vital pulp therapy. *J Adv Med Dent Sci Res*. 2023;11(4):62–81. <https://doi.org/10.21276/jamdsr>
- [2] Duncan HF. Present status and future directions—Vital pulp treatment and pulp preservation strategies. *Int Endod J*. 2022;55(Suppl 3):497–511. <https://doi.org/10.1111/iej.13688>
- [3] Donnermeyer D, Dammaschke T, Lipski M, Schäfer E. Effectiveness of diagnosing pulpitis: A systematic review. *Int Endod J*. 2023 Oct;56(S3 Suppl 3):296–325. <https://doi.org/10.1111/iej.13762> PMID:35536159
- [4] Andreasen FM, Andreasen JO. Resorption and mineralization processes following root fracture of permanent incisors. *Endod Dent Traumatol*. 1988 Oct;4(5):202–214. <https://doi.org/10.1111/j.1600-9657.1988.tb00323.x> PMID:3248578
- [5] Lu Y, Liu Z, Huang J, Liu C. Therapeutic effect of one-time root canal treatment for irreversible pulpitis. *J Int Med Res*. 2020 Feb;48(2):300060519879287. <https://doi.org/10.1177/0300060519879287> PMID:31617430
- [6] Saoud TM, Ricucci D, Lin LM, Gaengler P. Regeneration and repair in endodontics—A special issue of the regenerative endodontics—A new era in clinical endodontics. *Dent J*. 2016 Feb;4(1):3. <https://doi.org/10.3390/dj4010003> PMID:29563445
- [7] Urkande NK, Mankar N, Nikhade PP, Chandak M. Beyond tradition: Non-surgical endodontics and vital pulp therapy as a dynamic combination. *Cureus*. 2023 Aug;15(8):e44134. <https://doi.org/10.7759/cureus.44134> PMID:37753005
- [8] Bansal R, Jain A, Mittal S. Current overview on challenges in regenerative endodontics. *J Conserv Dent*. 2015;18(1):1–6. <https://doi.org/10.4103/0972-0707.148861> PMID:25657518
- [9] Kurmanalina MA, Urazalina MM, Abasheva AG, Aitmukhanbetova MA. The Role of mesenchymal stem cells in dentistry: A review. *WKMJ*. 2024;66(2):126–136. <https://doi.org/10.18502/wkmj.v66i2.16455>.
- [10] Kouchakian MR, Baghban N, Moniri SF, Baghban M, Bakhshalizadeh S, Najafzadeh V, et al. The clinical trials of mesenchymal stromal cells therapy. *Stem Cells Int*. 2021 Nov;2021(1):1634782. <https://doi.org/10.1155/2021/1634782> PMID:34745268
- [11] Kwack KH, Lee HW. Clinical potential of dental pulp stem cells in pulp regeneration: Current endodontic progress and future perspectives. *Front Cell Dev Biol*. 2022 Apr;10:857066. <https://doi.org/10.3389/fcell.2022.857066> PMID:35478967

- [12] Xie Z, Shen Z, Zhan P, Yang J, Huang Q, Huang S, et al. Functional dental pulp regeneration: Basic research and clinical translation. *Int J Mol Sci.* 2021 Aug;22(16):8991. <https://doi.org/10.3390/ijms22168991> PMID:34445703
- [13] Shi X, Hu X, Jiang N, Mao J. Regenerative endodontic therapy: From laboratory bench to clinical practice. *J Adv Res.* Forthcoming 2024 Jul;S2090-1232(24)00267-4. <https://doi.org/10.1016/j.jare.2024.07.001> PMID:38969092
- [14] Bharuka T, Reche A. Advancements in periodontal regeneration: A comprehensive review of stem cell therapy. *Cureus.* 2024 Feb;16(2):e54115. <https://doi.org/10.7759/cureus.54115> PMID:38487109
- [15] Shi X, Mao J, Liu Y. Pulp stem cells derived from human permanent and deciduous teeth: Biological characteristics and therapeutic applications. *Stem Cells Transl Med.* 2020 Apr;9(4):445–464. <https://doi.org/10.1002/sctm.19-0398> PMID:31943813
- [16] Baldión PA, Velandia-Romero ML, Castellanos JE. Odontoblast-like cells differentiated from dental pulp stem cells retain their phenotype after subcultivation. *Int J Cell Biol.* 2018 Feb;2018:6853189. <https://doi.org/10.1155/2018/6853189> PMID:29670655
- [17] Luo L, He Y, Wang X, Key B, Lee BH, Li H, et al. Potential roles of dental pulp stem cells in neural regeneration and repair. *Stem Cells Int.* 2018 May;2018:1731289. <https://doi.org/10.1155/2018/1731289> PMID:29853908
- [18] Mattei V, Delle Monache S. Dental pulp stem cells (DPSCs) and tissue regeneration: Mechanisms mediated by direct, paracrine, or autocrine effects. *Biomedicines.* 2023 Jan;11(2):386. <https://doi.org/10.3390/biomedicines11020386> PMID:36830923
- [19] Zhou T, Pan J, Wu P, Huang R, Du W, Zhou Y, et al. Dental follicle cells: Roles in development and beyond. *Stem Cells Int.* 2019 Sep;2019:9159605. <https://doi.org/10.1155/2019/9159605> PMID:31636679
- [20] Huang GT, Gronthos S, Shi S. Mesenchymal stem cells derived from dental tissues vs. those from other sources: Their biology and role in regenerative medicine. *J Dent Res.* 2009 Sep;88(9):792–806. <https://doi.org/10.1177/0022034509340867> PMID:19767575
- [21] Amghar-Maach S, Gay-Escoda C, Sánchez-Garcés MA. Regeneration of periodontal bone defects with dental pulp stem cells grafting: Systematic Review. *J Clin Exp Dent.* 2019 Apr;11(4):e373–381. <https://doi.org/10.4317/jced.55574> PMID:31110618
- [22] Goriuc A, Foia L, Cojocar K, Diaconu-Popa D, Sandu D, Luchian I. The Role and Involvement of Stem Cells in Periodontology. *Biomedicines.* 2023 Jan;11(2):387. <https://doi.org/10.3390/biomedicines11020387> PMID:36830924
- [23] Aliborzi G, Vahdati A, Mehrabani D, Hosseini SE, Tamadon A. Isolation, characterization and growth kinetic comparison of bone marrow and adipose tissue mesenchymal stem cells of guinea pig. *Int J Stem Cells.* 2016 May;9(1):115–123. <https://doi.org/10.15283/ijsc.2016.9.1.115> PMID:27426093
- [24] Staniowski T, Zawadzka-Knefel A, Skośkiewicz-Malinowska K. Therapeutic potential of dental pulp stem cells according to different transplant types. *Molecules.* 2021 Dec;26(24):7423. <https://doi.org/10.3390/molecules26247423> PMID:34946506

- [25] Vasanthan J, Gurusamy N, Rajasingh S, Sigamani V, Kirankumar S, Thomas EL, et al. Role of human mesenchymal stem cells in regenerative therapy. *Cells*. 2020 Dec;10(1):54. <https://doi.org/10.3390/cells10010054> PMID:33396426
- [26] Tsutsui TW. Dental pulp stem cells: Advances to applications. *Stem Cells Cloning*. 2020 Feb;13:33–42. <https://doi.org/10.2147/SCCAA.S166759> PMID:32104005
- [27] Mehrabani D, Hassanshahi MA, Tamadon A, Zare S, Keshavarz S, Rahmanifar F, et al. Adipose tissue-derived mesenchymal stem cells repair germinal cells of seminiferous tubules of busulfan-induced azoospermic rats. *J Hum Reprod Sci*. 2015;8(2):103–110. <https://doi.org/10.4103/0974-1208.158618> PMID:26157302
- [28] Dong L, Li X, Leng W, Guo Z, Cai T, Ji X, et al. Adipose stem cells in tissue regeneration and repair: From bench to bedside. *Regen Ther*. 2023 Oct;24:547–560. <https://doi.org/10.1016/j.reth.2023.09.014> PMID:37854632
- [29] Zhang J, Liu Y, Chen Y, Yuan L, Liu H, Wang J, et al. Adipose-derived stem cells: Current applications and future directions in the regeneration of multiple tissues. *Stem Cells Int*. 2020 Dec;2020:8810813. <https://doi.org/10.1155/2020/8810813> PMID:33488736
- [30] Hung CN, Mar K, Chang HC, Chiang YL, Hu HY, Lai CC, et al. A comparison between adipose tissue and dental pulp as sources of MSCs for tooth regeneration. *Biomaterials*. 2011 Oct;32(29):6995–7005. <https://doi.org/10.1016/j.biomaterials.2011.05.086> PMID:21696818
- [31] Bar JK, Lis-Nawara A, Grelewski PG. Dental pulp stem cell-derived secretome and its regenerative potential. *Int J Mol Sci*. 2021 Nov;22(21):12018. <https://doi.org/10.3390/ijms222112018> PMID:34769446
- [32] Babaki D, M Matin M. Odontoblast-like cytodifferentiation of dental stem cells: A review. *Iran Endod J*. 2020;15(2):79–89. <https://doi.org/10.22037/iej.v15i2.27569> PMID:36704441
- [33] Raj AT, Kheur S, Khurshid Z, Sayed ME, Mugri MH, Almasri MA, et al. The growth factors and cytokines of dental pulp mesenchymal stem cell secretome may potentially aid in oral cancer proliferation. *Molecules*. 2021 Sep;26(18):5683. <https://doi.org/10.3390/molecules26185683> PMID:34577154
- [34] Singh PV, Singh PV, Anjankar A. Harnessing the therapeutic potential of stem cells in the management of chronic obstructive pulmonary disease: A comprehensive review. *Cureus*. 2023 Aug;15(8):e44498. <https://doi.org/10.7759/cureus.44498> PMID:37711945
- [35] Gattazzo F, Urciuolo A, Bonaldo P. Extracellular matrix: A dynamic microenvironment for stem cell niche. *Biochim Biophys Acta*. 2014 Aug;1840(8):2506–2519. <https://doi.org/10.1016/j.bbagen.2014.01.010> PMID:24418517
- [36] Huang GT. Pulp and dentin tissue engineering and regeneration: Current progress. *Regen Med*. 2009 Sep;4(5):697–707. <https://doi.org/10.2217/rme.09.45> PMID:19761395
- [37] Tanabe S. Signaling involved in stem cell reprogramming and differentiation. *World J Stem Cells*. 2015 Aug;7(7):992–998. PMID:26328015
- [38] Mostafa S, Pakvasa M, Coalson E, Zhu A, Alverdy A, Castillo H, et al. The wonders of *BMP9*: From mesenchymal stem cell differentiation, angiogenesis, neurogenesis, tumorigenesis, and metabolism to

- regenerative medicine. *Genes Dis.* 2019 Jul;6(3):201–223. <https://doi.org/10.1016/j.gendis.2019.07.003> PMID:32042861
- [39] Liu M, Goldman G, MacDougall M, Chen S. BMP signaling pathway in dentin development and diseases. *Cells.* 2022 Jul;11(14):2216. <https://doi.org/10.3390/cells11142216> PMID:35883659
- [40] Sagomonyants K, Mina M. Stage-specific effects of fibroblast growth factor 2 on the differentiation of dental pulp cells. *Cells Tissues Organs.* 2014;199(5-6):311–328. <https://doi.org/10.1159/000371343> PMID:25823776
- [41] Kurogoushi R, Hasegawa T, Akazawa Y, Iwata K, Sugimoto A, Yamaguchi-Ueda K, et al. Fibroblast growth factor 2 suppresses the expression of C-C motif chemokine 11 through the c-Jun N-terminal kinase pathway in human dental pulp-derived mesenchymal stem cells. *Exp Ther Med.* 2021 Dec;22(6):1356. <https://doi.org/10.3892/etm.2021.10791> PMID:34659502
- [42] Farooq M, Khan AW, Kim MS, Choi S. The role of fibroblast growth factor (FGF) signaling in tissue repair and regeneration. *Cells.* 2021 Nov;10(11):3242. <https://doi.org/10.3390/cells10113242> PMID:34831463
- [43] Gomez-Sosa JF, Caviedes-Bucheli J, Díaz Barrera LE. Gene expression of vascular endothelial growth factor A and its receptors in dental pulp of immature and mature teeth. *Eur Endod J.* 2021 Dec;6(3):259–263. <https://doi.org/10.14744/eej.2021.86580> PMID:34967342
- [44] Saghiri MA, Asatourian A, Sorenson CM, Sheibani N. Role of angiogenesis in endodontics: Contributions of stem cells and proangiogenic and antiangiogenic factors to dental pulp regeneration. *J Endod.* 2015 Jun;41(6):797–803. <https://doi.org/10.1016/j.joen.2014.12.019> PMID:25649306
- [45] Rademakers T, Horvath JM, van Blitterswijk CA, LaPointe VL. Oxygen and nutrient delivery in tissue engineering: Approaches to graft vascularization. *J Tissue Eng Regen Med.* 2019 Oct;13(10):1815–1829. <https://doi.org/10.1002/term.2932> PMID:31310055
- [46] Birjandi AA, Sharpe P. Wnt signalling in regenerative dentistry. *Front Dent Med.* 2021;2:725468. <https://doi.org/10.3389/fdmed.2021.725468>.
- [47] Florimond M, Minic S, Sharpe P, Chaussain C, Renard E, Boukpepsi T. Modulators of Wnt signaling pathway implied in dentin pulp complex engineering: A literature review. *Int J Mol Sci.* 2022 Sep;23(18):10582. <https://doi.org/10.3390/ijms231810582> PMID:36142496
- [48] Zhou B, Lin W, Long Y, Yang Y, Zhang H, Wu K, et al. Notch signaling pathway: Architecture, disease, and therapeutics. *Signal Transduct Target Ther.* 2022 Mar;7(1):95. <https://doi.org/10.1038/s41392-022-00934-y> PMID:35332121
- [49] Xing W, Yang J, Zheng Y, Yao L, Peng X, Chen Y, et al. The role of the notch signaling pathway in the differentiation of human umbilical cord-derived mesenchymal stem cells. *Front Biosci (Landmark Ed).* 2024 Feb;29(2):74. <https://doi.org/10.31083/j.fbl2902074> PMID:38420823
- [50] Walma DA, Yamada KM. The extracellular matrix in development. *Development.* 2020 May;147(10):dev175596. <https://doi.org/10.1242/dev.175596> PMID:32467294
- [51] Pang X, He X, Qiu Z, Zhang H, Xie R, Liu Z, et al. Targeting integrin pathways: Mechanisms and advances in therapy. *Signal Transduct Target Ther.* 2023 Jan;8(1):1. <https://doi.org/10.1038/s41392-022-01259-6> PMID:36588107

- [52] Mas-Bargues C, Sanz-Ros J, Román-Domínguez A, Inglés M, Gimeno-Mallench L, El Alami M, et al. Relevance of oxygen concentration in stem cell culture for regenerative medicine. *Int J Mol Sci*. 2019 Mar;20(5):1195. <https://doi.org/10.3390/ijms20051195> PMID:30857245
- [53] Ma M. Role of hypoxia in mesenchymal stem cells from dental pulp: Influence, mechanism and application. *Cell Biochem Biophys*. 2024 Jun;82(2):535–547. <https://doi.org/10.1007/s12013-024-01274-0> PMID:38713403
- [54] Wang J, Deng G, Wang S, Li S, Song P, Lin K, et al. Enhancing regenerative medicine: The crucial role of stem cell therapy. *Front Neurosci*. 2024 Feb;18:1269577. <https://doi.org/10.3389/fnins.2024.1269577> PMID:38389789
- [55] Song N, Scholtemeijer M, Shah K. Mesenchymal stem cell immunomodulation: Mechanisms and therapeutic potential. *Trends Pharmacol Sci*. 2020 Sep;41(9):653–664. <https://doi.org/10.1016/j.tips.2020.06.009> PMID:32709406
- [56] Han Y, Yang J, Fang J, Zhou Y, Candi E, Wang J, et al. The secretion profile of mesenchymal stem cells and potential applications in treating human diseases. *Signal Transduct Target Ther*. 2022 Mar;7(1):92. <https://doi.org/10.1038/s41392-022-00932-0> PMID:35314676
- [57] Moradi-Gharibvand N, Hashemibeni B. The Effect of stem cells and vascular endothelial growth factor on cancer angiogenesis. *Adv Biomed Res*. 2023 May;12(1):124. https://doi.org/10.4103/abr.abr_378_21 PMID:37434939
- [58] Rehman A, Nigam A, Laino L, Russo D, Todisco C, Esposito G, et al. Mesenchymal stem cells in soft tissue regenerative medicine: A comprehensive review. *Medicina (Kaunas)*. 2023 Aug;59(8):1449. <https://doi.org/10.3390/medicina59081449> PMID:37629738
- [59] Salari V, Mengoni F, Del Gallo F, Bertini G, Fabene PF. The anti-inflammatory properties of mesenchymal stem cells in epilepsy: Possible treatments and future perspectives. *Int J Mol Sci*. 2020 Dec;21(24):9683. <https://doi.org/10.3390/ijms21249683> PMID:33353235
- [60] Hu L, Yin C, Zhao F, Ali A, Ma J, Qian A. Mesenchymal stem cells: Cell fate decision to osteoblast or adipocyte and application in osteoporosis treatment. *Int J Mol Sci*. 2018 Jan;19(2):360. <https://doi.org/10.3390/ijms19020360> PMID:29370110
- [61] Nazanin J, Mina SH, Alireza A, Mohammad G, Madina AK, Nadiar MM, et al. Investigating the effect of exosomes derived from human umbilical cord mesenchymal stromal/stem cells on the regeneration of human pulpectomized tooth: A case report. *Iran J Med Sci*. Forthcoming 2025.
- [62] Xuan K, Li B, Guo H, Sun W, Kou X, He X, et al. Deciduous autologous tooth stem cells regenerate dental pulp after implantation into injured teeth. *Sci Transl Med*. 2018 Aug;10(455):eaaf3227. <https://doi.org/10.1126/scitranslmed.aaf3227> PMID:30135248
- [63] Nakashima M, Iohara K, Murakami M, Nakamura H, Sato Y, Aiji Y, et al. Pulp regeneration by transplantation of dental pulp stem cells in pulpitis: A pilot clinical study. *Stem Cell Res Ther*. 2017 Mar;8(1):61. <https://doi.org/10.1186/s13287-017-0506-5> PMID:28279187

- [64] Meza G, Urrejola D, Saint Jean N, Inostroza C, López V, Khoury M, et al. Personalized cell therapy for pulpitis using autologous dental pulp stem cells and leukocyte platelet-rich fibrin: A case report. *J Endod*. 2019 Feb;45(2):144–149. <https://doi.org/10.1016/j.joen.2018.11.009> PMID:30711169
- [65] Feitosa VP, Mota MN, Vieira LV, de Paula DM, Gomes LL, Solheiro LK, et al. Dental pulp autotransplantation: A new modality of endodontic regenerative therapy-follow-up of 3 clinical cases. *J Endod*. 2021 Sep;47(9):1402–1408. <https://doi.org/10.1016/j.joen.2021.06.014> PMID:34175322