Table 1 Comparisons of the mean (SD) or median (IQR) of each outcome among the CFOs without wedge, CFOs with W1, and CFOs with W2 at each time point (between-group analysis) (n=120)

	Baseline					3-month follow up					6-month follow up				
	Mean (SD) / Median (IQR)			*P*	Effect size	Mean (SD) / Median (IQR)			*P*	Effect size	Mean (SD) / Median (IQR)			*P*	Effect size
	CFOs without wedge	CFOs with W1	CFOs with W2			CFOs without wedge	CFOs with W1	CFOs with W2			CFOs without wedge	CFOs with W1	CFOs with W2		
Worst pain, cm	4.8 (1.8)	3.8 (1.9)	5.1 (2.3)	0.182	0.346	1.5 [0.3,3.0]	2.4 [0.7,3.8]	2.9 [2.1,4.1]	**0.037***	0.484	0.8 [0.0,2.2]	1.1 [0.2,2.4]	1.9 [0.9,3.3]	**0.009***	0.585
Morning pain, cm	3.6 (2.1)	3.6 (2.4)	4.5 (2.7)	0.164	0.364	1.4 [0.2,2.9]	1.4 [0.9,3.2]	2.7 [1.8,3.7]	0.064	0.438	0.6 [0.0,1.4]	0.7 [0.0,2.0]	1.4 [0.4,3.1]	0.056	0.449
Pain during gait, cm	4.4 (2.1)	4.7 (2.1)	5.2 (2.4)	0.660	0.168	1.7 [0.9,4.8]	2.4 [0.9,4.0]	2.8 [1.6,4.1]	0.647	0.171	0.9 [0.3,2.0]	1.2 [0.4,2.3]	1.8 [0.9,4.1]	0.064	0.438
Pain during standing, cm	4.2 (1.9)	4.4 (2.3)	4.7 (2.5)	0.700	0.155	1.9 [0.8,3.4]	2.3 [1.0,3.9]	2.6 [1.3,3.9]	0.445	0.234	0.6 [0.2,2.2]	1.6 [0.3,2.4]	1.6 [0.4,2.9]	0.096	0.403
Reaching distance, cm															
- Symptomatic side [a]	69.39 (12.84)	69.79 (8.37)	69.63 (8.79)	0.870	0.090	74.72 (12.32)	73.81 (8.54)	71.92 (11.04)	0.636	0.180	76.02 (12.40)	74.50 (9.33)	74.54 (12.09)	0.779	0.127
- Asymptomatic side [b]	68.42 (12.68)	70.90 (9.89)	69.73 (9.92)	0.985	0.035	74.43 (10.20)	74.74 (9.41)	71.20 (10.56)	0.310	0.286	75.03 (12.79)	74.05 (11.02)	74.51 (11.71)	0.934	0.063
ECFS condition															
- Length of minor axis, mm	4.7 [3.2,5.8]	4.0 [3.1,5.3]	4.4 [2.8,5.7]	0.150	0.361	4.3 [3.3,5.4]	4.3 [3.2,6.1]	4.9 [3.3,6.1]	0.780	0.130	4.8 (2.2)	4.5 (1.7)	4.9 (1.7)	0.532	0.209
- Length of major axis, mm	11.7 [9.2,13.7]	11.0 [9.1,13.2]	11.2 [8.0,12.9]	0.187	0.340	10.5 [8.3,15.3]	10.6 [8.7,12.8]	10.4 [8.1,14.3]	0.565	0.197	11.0 [8.7,12.8]	10.4 [8.6,12.8]	10.1 [7.8,11.5]	0.757	0.138
- 95% CEA, mm^2	36.6 [26.2,52.7]	37.9 [21.1, 56.5]	36.9 [19.1,58.9]	0.139	0.377	34.6 [23.1,60.1]	36.5 [21.6,68.3]	46.8 [23.8, 69.0]	0.700	0.157	32.4 [21.5,64.2]	32.6 [23.5,49.2]	38.7 [28.4,48.9]	0.956	0.055
- CoP path length, mm	113.5 [97.2,145.6]	113.3 [94.7,158.1]	115.8 [85.5,174.1]	0.541	0.204	102.6 [82.9,156.1]	132.3 [97.3,163.7]	113.8 [90.0,144.2]	0.544	0.204	113.5 [84.8,152.6]	125.0 [103.1,156.0]	102.4 [94.9,119.6]	0.748	0.141
- CoP velocity, mm/s	5.5 [4.9,7.1]	5.8 [4.8,7.8]	5.9 [4.3,8.0]	0.604	0.184	5.2 [4.2,8.0]	5.8 [4.9,8.3]	5.8 [4.6,7.3]	0.808	0.121	5.8 [4.3,7.8]	6.4 [5.3,8.0]	5.2 [4.4,6.1]	0.727	0.148
ECSS condition															
- Length of minor axis, mm	25.0 (8.4)	23.5 (7.5)	22.7 (7.2)	0.513	0.211	24.2 [17.7,28.3]	21.1 [19.0,27.3]	20.8 [16.8,27.3]	0.381	0.258	21.7 [15.8,26.5]	24.0 [16.9,26.8]	22.1 [18.8,27.4]	0.732	0.146
- Length of major axis, mm	40.3 [36.6,51.8]	38.3 [31.4,53.2]	37.2 [34.4,43.3]	0.429	0.240	38.0 [29.0,50.6]	39.2 [29.2,47.0]	36.0 [30.1,44.6]	0.512	0.215	34.6 [30.0,45.1]	41.9 [30.5,46.0]	38.0 [29.0,46.8	0.320	0.281
- 95% CEA, mm^2	765.1 [554.8,1245.5]	787.2 [423.8,1084.4]	691.2 [536.8,787.8]	0.322	0.284	639.2 [406.5,1209.3]	616.0 [462.6,995.7]	592.5 [410.9,1043.4]	0.561	0.200	614.4 [337.1,918.8]	734.8 [442.0,1009.6]	667.6 [407.5,945.8]	0.620	0.183
- CoP path length, mm	802.6 [709.3,1280.5]	873.1 [690.9,1070.1]	786.7 [660.4,1051.5]	0.924	0.074	692.2 [548.4,1068.8]	875.3 [656.5,1111.6]	752.4 [619.1,1318.2]	0.787	0.128	780.5 [577.5,993.4]	864.2 [743.6,1047.0]	736.5 [549.8,1011.4]	0.482	0.228
- CoP velocity, mm/s	39.7 [34.9,62.4]	44.2 [33.4,54.2]	39.5 [30.6,61.5]	0.763		32.2 [27.9,54.4]	44.6 [33.4,56.6]	38.3 [31.5,67.1]	0.786	0.129	39.7 [29.4,50.6]	44.0 [37.9,53.3]	37.5 [28.0,51.5]	0.488	0.226
EOFS condition															
- Length of minor axis, mm	4.3 [3.8,5.4]	3.8 [2.9,5.3]	4.2 [3.2,5.9]	0.117	0.387	4.8 [3.0,6.6]	4.7 [3.4,6.9]	4.7 [3.6,6.4]	0.860	0.102	5.1 [3.7,6.2]	4.7 [3.5,6.0]	4.8 [4.0,6.3]	0.828	0.114
- Length of major axis, mm	10.1 (2.5)	10.0 (2.6)	10.2 (2.9)	0.065	0.444	10.1 [8.6,12.8]	10.9 [7.3,12.7]	9.2 [7.3,13.0]	0.374	0.259	12.1 [9.6,13.4]	10.3 [7.8,14.0]	9.9 [7.6,12.2]	0.273	0.299
- 95% CEA, mm^2	37.3 [25.3,46.1]	30.4 [19.6,48.9]	33.9 [18.8,57.3]	0.101	0.411	35.0 [24.7,65.2]	38.2 [19.8,73.4]	32.7 [21.0,68.8]	0.786	0.130	46.6 [33.6,70.2]	40.0 [23.4,70.3]	38.8 [23.6,61.9]	0.814	0.119
- CoP path length, mm	87.0 [75.7,104.0]	84.8 [69.8,115.9]	98.4 [75.5, 130.7]	0.476	0.224	90.0 [73.6,120.7]	107.0 [80.7,139.4]	96.3 [64.1,130.8]	0.518	0.212	105.3 [79.8,122.7]	99.4 [79.8,131.3]	90.7 [72.8,116.7]	0.752	0.140
- CoP velocity, mm/s	4.4 [3.7,5.2]	4.3 [3.6,5.8]	5.0 [3.7, 6.5]	0.657	0.168	4.6 [3.8,6.2]	5.1 [4.1,6.7]	4.9 [3.3,6.7]	0.695	0.157	5.4 [4.1,6.3]	5.1 [4.1,6.7]	4.6 [3.7,5.7]	0.783	0.129
EOSS condition															
- Length of minor axis, mm	19.8 (6.8)	18.0 (7.1)	18.1 (5.5)	0.356	0.278	18.7 [13.7,21.9]	17.2 [15.5,19.3]	18.3 [13.6,23.4]	0.568	0.198	16.7 [13.6,21.2]	16.8 [13.4,22.1]	18.2 [13.0,24.2]	0.964	0.050
- Length of major axis, mm	33.5 [27.5,45.3]	31.1 [24.6,38.2]	24.2 [29.5,37.4]	0.326	0.280	33.8 [24.6,43.0]	30.2 [24.8,37.2]	28.2 [24.1,38.0]	0.430	0.243	29.2 [23.8,38.7]	30.9 [26.5,40.1]	29.9 [23.7,40.0]	0.514	0.215
- 95% CEA, mm^2	530.7 [342.2,805.9]	449.6 [295.1,628.9]	437.1 [250.9,684.0]	0.317	0.287	550.5 [292.2,744.4]	415.6 [331.6,616.4]	414.0 [293.3,756.6]	0.506	0.220	350.7 [266.1,681.0]	443.9 [273.1,650.5]	439.8 [215.8,736.4]	0.777	0.133
- CoP path length, mm	597.7 [456.9,975.5]	631.5 [549.6,793.8]	556.5 [464.3,778.9]	0.898	0.086	25.9 [18.7,44.8]	34.9 [24.7,39.7]	28.6 [21.8,49.6]	0.888	0.091	559.0 [388.8,778.7]	634.4 [461.5,753.1]	573.7 [388.8,729.5]	0.432	0.242
- CoP velocity, mm/s	29.4 [21.2,48.6]	32.2 [24.8,40.4]	27.8 [21.8,39.7]	0.624	0.181	508.9 [367.8,878.4]	685.8 [485.6,782.5]	561.0 [429.4,974.6]	0.889	0.091	28.5 [19.8,39.7]	32.3 [23.5,38.3]	29.2 [19.8,37.1]	0.428	0.244

*** Significant difference among three intervention groups**

[a] No significant group × time interaction (F(4, 232) = 0.193, p = 0.942, effect size = 0.110)

[b] No significant group × time interaction (F(4, 232) = 0.864, p = 0.486, effect size = 0.247)

Table 2 Comparisons of the mean (SD) or median (IQR) of each outcome at baseline, 3-month, and 6-month follow up among each intervention group (within-group analysis) (n=120)

	CFOs without wedge					CFOs with W1					CFOs with W2				
	Mean (SD) / Median (IQR)			*P*	Effect size	Mean (SD) / Median (IQR)			*P*	Effect size	Mean (SD) / Median (IQR)			*P*	Effect size
	Baseline	3 month	6 month			Baseline	3 month	6 month			Baseline	3 month	6 month		
Worst pain, cm	4.4 [3.5,6.8]	1.5 [0.3,3.0]	0.8 [0.0,2.2]	**< 0.001***	6.954	4.6 [3.4,5.2]	2.4 [0.7,3.8]	1.1 [0.2,2.4]	**< 0.001***	13.638	4.4 [3.3,7.1]	2.9 [2.1,4.1]	1.9 [0.9,3.3]	**< 0.001***	1.976
Morning pain, cm	3.5 [1.7,4.9]	1.4 [0.2,2.9]	0.6 [0.0,1.4]	**< 0.001***	2.486	3.8 [1.8,5.5]	1.4 [0.9,3.2]	0.7 [0.0,2.0]	**< 0.001***	11.995	3.8 [1.9,6.1]	2.7 [1.8,3.7]	1.4 [0.4,3.1]	**0.003***	1.309
Pain during gait, cm	5.2 [3.1,6.5]	1.7 [0.9,4.8]	0.9 [0.3,2.0]	**< 0.001***	13.820	4.6 [3.0,5.4]	2.4 [0.9,4.0]	1.2 [0.4,2.3]	**< 0.001***	15.790	4.7 [3.6,7.3]	2.8 [1.6,4.1]	1.8 [0.9,4.1]	**< 0.001***	2.447
Pain during standing, cm	4.7 [2.9,6.0]	1.9 [0.8,3.4]	0.6 [0.2,2.2]	**< 0.001***	12.829	4.5 [2.9, 5.4]	2.3 [1.0,3.9]	1.6 [0.3,2.4]	**< 0.001***	12.845	4.6 [2.1,6.0]	2.6 [1.3,3.9]	1.6 [0.4,2.9]	**< 0.001***	1.778
Reaching distance, cm															
- Symptomatic side [a]	69.39 (12.84)	74.72 (12.32)	76.02 (12.40)	**0.001***	0905	69.79 (8.37)	73.81 (8.54)	74.50 (9.33)	**< 0.001***	1.006	69.63 (8.79)	71.92 (11.04)	74.54 (12.09)	**< 0.001***	0.940
- Asymptomatic side [b]	68.42 (12.68)	74.43 (10.20)	75.03 (12.79)	**< 0.001***	0.991	70.90 (9.89)	74.74 (9.41)	74.05 (11.02)	**0.003***	0.797	69.73 (9.92)	71.20 (10.56)	74.51 (11.71)	**< 0.001***	1.176
ECFS condition															
- Length of minor axis, mm	4.7 [3.2,5.8]	4.3 [3.3,5.4]	4.4 [3.1,6.3]	**0.029***	0.940	4.0 [3.1,5.3]	4.3 [3.2,6.1]	4.3 [3.3,5.7]	0.885	0.159	4.4 [2.8,5.7]	4.9 [3.3,6.1]	5.0 [3.7,6.1]	0.153	0.643
- Length of major axis, mm	11.7 [9.2,13.7]	10.5 [8.3,15.3]	11.0 [8.7,12.8]	**0.020***	1.017	11.0 [9.1,13.2]	10.6 [8.7,12.8]	10.4 [8.6,12.8]	0.100	0.743	11.2 [8.0,12.9]	10.4 [8.1,14.3]	10.1 [7.8,11.5]	0.741	0.247
- 95% CEA, mm^2	36.6 [26.2,52.7]	34.6 [23.1,60.1]	32.4 [21.5,64.2]	**0.029***	0.991	37.9 [21.1, 56.5]	36.5 [21.6,68.3]	32.6 [23.5,49.2]	0.307	0.530	36.9 [19.1,58.9]	46.8 [23.8, 69.0]	38.7 [28.4,48.9]	0.649	0.309
- CoP path length, mm	113.5 [97.2,145.6]	102.6 [82.9,156.1]	113.5 [84.8,152.6]	0.063	0.825	113.3 [94.7,158.1]	132.3 [97.3,163.7]	125.0 [103.1,156.0]	0.729	0.257	115.8 [85.5,174.1]	113.8 [90.0,144.2]	102.4 [94.9,119.6]	0.735	0.253
- CoP velocity, mm/s	5.5 [4.9,7.1]	5.2 [4.2,8.0]	5.8 [4.3,7.8]	0.215	0.585	5.8 [4.8,7.8]	5.8 [4.9,8.3]	6.4 [5.3,8.0]	0.898	0.151	5.9 [4.3,8.0]	5.8 [4.6,7.3]	5.2 [4.4,6.1]	0.691	0.278
ECSS condition															
- Length of minor axis, mm	26.2 [18.4,34.7]	24.2 [17.7,28.3]	21.7 [15.8,26.5]	**0.019***	1.009	24.6 [18.3,28.6]	21.1 [19.0,27.3]	24.0 [16.9,26.8]	0.557	0.347	24.5 [15.2,30.0]	20.8 [16.8,27.3]	22.1 [18.8,27.4]	**0.039***	0.900
- Length of major axis, mm	40.3 [36.6,51.8]	38.0 [29.0,50.6]	34.6 [30.0,45.1]	**0.003***	1.340	38.3 [31.4,53.2]	39.2 [29.2,47.0]	41.9 [30.5,46.0]	0.822	0.199	37.2 [34.4,43.3]	36.0 [30.1,44.6]	38.0 [29.0,46.8	0.232	0.569
- 95% CEA, mm^2	765.1 [554.8,1245.5]	639.2 [406.5,1209.3]	614.4 [337.1,918.8]	**< 0.001***	1.999	787.2 [423.8,1084.4]	616.0 [462.6,995.7]	734.8 [442.0,1009.6]	0.993	0.040	691.2 [536.8,787.8]	592.5 [410.9,1043.4]	667.6 [407.5,945.8]	0.388	0.458
- CoP path length, mm	802.6 [709.3,1280.5]	692.2 [548.4,1068.8]	780.5 [577.5,993.4]	**< 0.001***	1.647	873.1 [690.9, 1070.1]	875.3 [656.5,1111.6]	864.2 [743.6,1047.0]	**0.045***	0.884	786.7 [660.4,1051.5]	752.4 [619.1,1318.2]	736.5 [549.8,1011.4]	0.135	0.686
- CoP velocity, mm/s	39.7 [34.9,62.4]	32.2 [27.9,54.4]	39.7 [29.4,50.6]	**0.013***	1.090	44.2 [33.4,54.2]	44.6 [33.4,56.6]	44.0 [37.9,53.3]	**0.049***	0.794	39.5 [30.6,61.5]	38.3 [31.5,67.1]	37.5 [28.0,51.5]	0.479	0.402
EOFS condition															
- Length of minor axis, mm	4.3 [3.8,5.4]	4.8 [3.0,6.6]	5.1 [3.7,6.2]	0.432	0.436	3.8 [2.9,5.3]	4.7 [3.4,6.9]	4.7 [3.5,6.0]	0.697	0.271	4.20 [3.23,5.93]	4.7 [3.6,6.4]	4.8 [4.0,6.3]	**< 0.001***	1.643
- Length of major axis, mm	10.4 [7.9,13.3]	10.1 [8.6,12.8]	12.1 [9.6,13.4]	0.668	0.295	9.7 [7.8,11.7]	10.9 [7.3,12.7]	10.3 [7.8,14.0]	0.782	0.223	9.7 [8.0,12.6]	9.2 [7.3,13.0]	9.9 [7.6,12.2]	0.172	0.630
- 95% CEA, mm^2	37.3 [25.3,46.1]	35.0 [24.7,65.2]	46.6 [33.6,70.2]	0.831	0.210	30.4 [19.6,48.9]	38.2 [19.8,73.4]	40.0 [23.4,70.3]	0.193	0.635	33.9 [18.8,57.3]	32.7 [21.0,68.8]	38.8 [23.6,61.9]	**0.020***	1.032
- CoP path length, mm	87.0 [75.7,104.0]	90.0 [73.6,120.7]	105.3 [79.8,122.7]	0.322	0.504	84.9 [69.8,115.9]	107.0 [80.7,139.4]	99.4 [79.8,131.3]	0.681	0.280	98.4 [75.5, 130.7]	96.3 [64.1,130.8]	90.7 [72.8,116.7]	0.488	0.391
- CoP velocity, mm/s	4.4 [3.7,5.2]	4.6 [3.8,6.2]	5.4 [4.1,6.3]	0.545	0.363	4.3 [3.6,5.8]	5.1 [4.1,6.7]	5.1 [4.1,6.7]	0.792	0.217	5.0 [3.7, 6.5]	4.9 [3.3,6.7]	4.6 [3.7,5.7]	0.392	0.443
EOSS condition															
- Length of minor axis, mm	18.2 [15.4,26.1]	18.7 [13.7,21.9]	16.7 [13.6,21.2]	**0.047***	0.877	19.1 [13.2,23.7]	17.2 [15.5,19.3]	16.8 [13.4,22.1]	0.823	0.199	18.7 [13.6,24.2]	18.3 [13.6,23.4]	18.2 [13.0,24.2]	0.836	0.193
- Length of major axis, mm	33.5 [27.5,45.3]	33.8 [24.6,43.0]	29.2 [23.8,38.7]	**0.028***	0.978	31.1 [24.6,38.2]	30.2 [24.8,37.2]	30.9 [26.5,40.1]	0.175	0.618	24.2 [29.5,37.4]	28.2 [24.1,38.0]	29.9 [23.7,40.0]	0.442	0.424
- 95% CEA, mm^2	530.7 [342.2,805.9]	550.5 [292.2,744.4]	350.7 [266.1,681.0]	**0.029***	0.991	449.6 [295.1,628.9]	415.6 [331.6,616.4]	443.9 [273.1,650.5]	0.584	0.346	437.1 [250.9,684.0]	414.0 [293.3,756.6]	439.8 [215.8,736.4]	0.779	0.237
- CoP path length, mm	597.7 [456.9,975.5]	508.9 [367.8,878.4]	559.0 [388.8,778.7]	**0.013***	1.090	631.5 [549.6,793.8]	685.8 [485.6,782.5]	634.4 [461.5,753.1]	0.074	0.785	556.5 [464.3,778.9]	561.0 [429.4,974.6]	573.7 [388.8,729.5]	0.518	0.379
- CoP velocity, mm/s	29.4 [21.2,48.6]	25.9 [18.7,44.8]	28.5 [19.8,39.7]	**0.041***	0.913	32.2 [24.8,40.4]	34.9 [24.7,39.7]	32.3 [23.5,38.3]	0.097	0.737	27.8 [21.8,39.7]	28.6 [21.8,49.6]	29.2 [19.8,37.1]	0.898	0.153

*** Significant difference among baseline, 3-month, and 6-month follow up**

[a] No significant group × time interaction (F(4, 232) = 0.193, p = 0.942, effect size = 0.110)

[b] No significant group × time interaction (F(4, 232) = 0.864, p = 0.486, effect size = 0.247)

Table 3 Comparison of the mean or median difference of each outcome among three intervention groups between pre- and post- 6 month after receiving CFOs (n=120)

	Standard CFOs (n=40)	**CFOs with W1 (n=40)**	**CFOs with W2 (n=40)**	***P***	**Effect size**	***P*** **(CFOs & W1)**	***P*** **(CFOs & W2)**	***P*** **(W1 & W2)**
Worst pain, cm	-3.53 (2.33)	-2.71 (1.88)	-2.99 (3.08)	0.243	0.317	-	-	-
Morning pain, cm	-2.5 [-4.7, -1.1]	-2.1 [-3.3, -1.0]	-2.3 [-5.5, 0.9]	0.856	0.104	-	-	-
Pain during gait, cm	-3.42 (1.95)	-3.13 (1.88)	-3.13 (2.68)	0.650	0.174	-	-	-
Pain during standing, cm	-3.37 (2.02)	-2.73 (1.67)	-2.84 (2.91)	0.443	0.241	-	-	-
Reaching distance, cm								
- Symptomatic side	3.8 [-0.7, 8.3]	6.3 [0.2, 10.9]	5.5 [-2.5, 10.1]	0.916	0.077	-	-	-
- Asymptomatic side	2.8 [-0.5, 5.5]	4.6 [-3.0, 11.2]	4.8 [-0.4, 9.5]	0.905	0.082	-	-	-
ECFS condition								
- Length of minor axis, mm	-0.45 (1.76)	0.10 (1.65)	0.63 (1.84)	**0.005***	2.522	0.475	**0.004‡**	0.186
- Length of major axis, mm	-1.15 (3.41)	-0.59 (2.19)	-0.10 (3.05)	0.388	1.195	-	-	-
- 95% CEA, mm^2	-6.3 [-17.1, 7.0]	-1.0 [-15.9, 8.1]	-0.3 [-5.5, 18.2]	**0.006***	0.640	0.089	**0.002‡**	0.083
- CoP path length, mm	-12.9 [-32.5, 7.3]	-10.8 [-40.1, 8.2]	1.2 [-20.5, 17.0]	0.087	0.416	-	-	-
- CoP velocity, mm/s	-0.48 (1.31)	-0.20 (1.61)	0.04 (1.65)	0.382	1.195	-	-	-
ECSS condition								
- Length of minor axis, mm	-2.62 (7.50)	-0.29 (10.59)	-0.56 (6.72)	0.265	1.331	-	-	-
- Length of major axis, mm	-5.25 (10.76)	0.13 (17.32)	0.00 (10.29)	0.208	1.413	-	-	-
- 95% CEA, mm^2	-109.8 [-324.8, 9.8]	-0.3 [-460.1, 213.9]	7.5 [-113.4, 117.0]	**0.042***	0.491	**0.020†**	0.135	0.160
- CoP path length, mm	-92.3 [-217.6, -3.1]	-88.4 [-207.0, 45.9]	-60.5 [-122.9, 62.5]	0.204	0.339	-	-	-
- CoP velocity, mm/s	-3.2 [-10.1, 1.1]	-1.9 [-8.2, 2.3]	-1.7 [-5.1, 6.6]	0.432	0.245	-	-	-
EOFS condition								
- Length of minor axis, mm	0.2 [-0.9, 1.4]	0.1 [-0.6, 1.1]	0.8 [0.2, 1.5]	**0.008***	0.600	0.169	**0.004‡**	**0.041**
- Length of major axis, mm	1.10 (3.66)	-0.09 (2.57)	0.87 (3.01)	0.347	1.219	-	-	-
- 95% CEA, mm^2	3.6 [-5.5, 15.3]	1.6 [-9.0, 11.6]	4.9 [-2.0, 29.0]	**0.037***	0.501	0.175	**0.012‡**	0.177
- CoP path length, mm	0.6 [-15.1, 25.8]	-3.4 [-17.0, 27.1]	6.7 [-27.1, 25.3]	0.536	0.209	-	-	-
- CoP velocity, mm/s	0.4 [-0.6, 1.3]	-0.2 [-0.7, 1.4]	0.5 [-1.1, 1.3]	0.437	0.239	-	-	-
EOSS condition								
- Length of minor axis, mm	-2.9 [-8.1, 0.5]	1.4 [-4.4, 3.9]	-0.1 [-4.4, 4.8]	0.077	0.429	-	-	-
- Length of major axis, mm	-6.43 (9.95)	1.55 (11.63)	-0.16 (9.27)	0.205	1.436	-	-	-
- 95% CEA, mm^2	-96.8 [-281.2, 3.4]	59.9 [-186.0, 142.0]	8.0 [-125.0, 231.0]	**0.015***	0.572	**0.008†**	**0.018‡**	0.924
- CoP path length, mm	-66.4 [-257.7, 33.9]	21.2 [-135.6, 116.2]	-27.5 [-150.0, 91.4]	**0.013***	0.570	**0.008†**	**0.014‡**	0.871
- CoP velocity, mm/s	-2.8 [-10.7, 1.7]	-0.2 [-5.7, 5.9]	0.1 [-6.3, 4.7]	0.122	0.392	-	-	-

* Significant difference among groups † Significant difference between CFOs and W1 ‡ Significant difference between CFOs and W2